

**Preparing for College: The Mental Health Gap  
Medscape Topline Report**

**S1: What is your clinical title?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Physician	519	202	100
	100%	100%	50%
Psychologist	0	0	101
	0%	0%	50%
Registered nurse	0	0	0
	0%	0%	0%
Physician assistant	0	0	0
	0%	0%	0%
Nurse practitioner	0	0	0
	0%	0%	0%
Other	0	0	0
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	1	1	1.5

**S2: Do you practice in the US?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Yes	519	202	201
	100%	100%	100%
No	0	0	0
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	1	1	1

**S3: Are you a medical resident?**

	Total Physicians a	Pediatrician b	Psychiatrist/ Psychologist c
<i>Total Responding</i>	519	202	100
	100%	100%	100%
Yes	0	0	0
	0%	0%	0%
No	519	202	100
	100%	100%	100%
<i>No Response</i>	0	0	101
<i>Mean</i>	2	2	2

**S4: What is your specialty?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	100
	100%	100%	100%
<b>Pediatrics</b>	202	202	0
	39%	100%	0%
<b>Adolescent medicine</b>	16	0	0
	3%	0%	0%
<b>Family medicine</b>	100	0	0
	19%	0%	0%
<b>Gynecology/women's health</b>	101	0	0
	19%	0%	0%
<b>Psychiatry</b>	100	0	100
	19%	0%	100%
<b>Other</b>	0	0	0
	0%	0%	0%
<b>No Response</b>	0	0	101
<b>Mean</b>	2.77	1	5

**S4\_1: What patient populations do you regularly treat?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	0	0	101
	100%	100%	100%
<b>Children</b>	0	0	69
	0%	0%	68%
<b>Adolescents</b>	0	0	99
	0%	0%	98%
<b>Adults</b>	0	0	77
	0%	0%	76%
<b>Families</b>	0	0	56
	0%	0%	55%
<b>Other</b>	0	0	1
	0%	0%	1%
<b>No Response</b>	519	202	100
<b>Mean</b>	0	0	7.2

**S5: How many years have you been practicing [FS5]**

	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	<b>517</b>	<b>201</b>	<b>200</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
1	6	2	1
	1%	1%	0%
2	2	1	1
	0%	0%	0%
3	12	3	4
	2%	1%	2%
4	6	1	4
	1%	0%	2%
5	21	6	6
	4%	3%	3%
6	20	10	7
	4%	5%	4%
7	16	2	5
	3%	1%	2%
8	11	5	4
	2%	2%	2%
9	11	4	2
	2%	2%	1%
10	15	6	8
	3%	3%	4%
11	14	7	6
	3%	3%	3%
12	12	5	5
	2%	2%	2%
13	11	2	5
	2%	1%	2%
14	17	6	4
	3%	3%	2%
15	23	7	9
	4%	3%	4%
16	12	4	5
	2%	2%	2%
17	11	6	4
	2%	3%	2%
18	19	6	6
	4%	3%	3%
19	16	6	5
	3%	3%	2%
20	28	10	14
	5%	5%	7%
21	17	9	4
	3%	4%	2%
22	17	7	8
	3%	3%	4%
23	14	9	5
	3%	4%	2%
24	18	10	4
	3%	5%	2%

25	19	7	8
	4%	3%	4%
26	16	6	6
	3%	3%	3%
27	14	4	7
	3%	2%	4%
28	8	2	3
	2%	1%	2%
29	10	4	2
	2%	2%	1%
30	20	6	9
	4%	3%	4%
31	9	5	2
	2%	2%	1%
32	5	2	4
	1%	1%	2%
33	7	3	5
	1%	1%	2%
34	7	5	1
	1%	2%	0%
35	17	5	10
	3%	2%	5%
36	6	3	1
	1%	1%	0%
37	2	0	3
	0%	0%	2%
38	4	3	0
	1%	1%	0%
39	2	0	1
	0%	0%	0%
40	9	4	3
	2%	2%	2%
41	2	1	2
	0%	0%	1%
42	1	1	0
	0%	0%	0%
43	3	3	1
	1%	1%	0%
44	0	0	1
	0%	0%	0%
45	2	0	2
	0%	0%	1%
46	1	1	0
	0%	0%	0%
50	2	0	3
	0%	0%	2%
51	1	1	0
	0%	0%	0%
55	1	1	0
	0%	0%	0%
<i>No Response</i>	2	1	1
<i>Mean</i>	19.73	20.83	20.82

**S6: Which best describes your current work setting?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	<b>519</b>	<b>202</b>	<b>201</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
Office-based solo practice	69	17	57
	13%	8%	28%
Office-based single-specialty group practice	191	93	27
	37%	46%	13%
Office-based multispecialty group practice	82	42	24
	16%	21%	12%
Hospital	56	23	22
	11%	11%	11%
Health care organization	34	11	17
	7%	5%	8%
Outpatient clinic	69	12	35
	13%	6%	17%
Academic (nonhospital), research, military, government	0	0	0
	0%	0%	0%
Other	18	4	19
	3%	2%	9%
<b>No Response</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Mean</b>	<b>3.18</b>	<b>2.87</b>	<b>3.57</b>

**Q1: How many patients in high school or first year of post-secondary school do you see in a typical month?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	<b>495</b>	<b>199</b>	<b>190</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
10	59	11	45
	12%	6%	24%
11	1	0	2
	0%	0%	1%
12	8	2	8
	2%	1%	4%
13	0	0	3
	0%	0%	2%
14	2	1	1
	0%	1%	1%
15	31	7	19
	6%	4%	10%
16	2	0	2
	0%	0%	1%
18	3	1	2
	1%	1%	1%
19	0	0	1
	0%	0%	1%
20	69	21	34
	14%	11%	18%

21	0	0	1
	0%	0%	1%
22	0	0	2
	0%	0%	1%
24	0	0	0
	0%	0%	0%
25	37	13	19
	7%	7%	10%
30	45	18	13
	9%	9%	7%
31	1	0	1
	0%	0%	1%
32	1	0	0
	0%	0%	0%
34	1	0	0
	0%	0%	0%
35	11	4	5
	2%	2%	3%
36	0	0	1
	0%	0%	1%
40	37	17	12
	7%	9%	6%
45	6	2	2
	1%	1%	1%
48	1	0	0
	0%	0%	0%
50	49	20	9
	10%	10%	5%
55	1	0	0
	0%	0%	0%
60	27	12	2
	5%	6%	1%
70	2	1	1
	0%	1%	1%
74	1	0	0
	0%	0%	0%
75	16	7	1
	3%	4%	1%
80	11	9	1
	2%	5%	1%
85	1	0	0
	0%	0%	0%
88	1	1	0
	0%	1%	0%
90	6	3	3
	1%	2%	2%
100	29	20	0
	6%	10%	0%
Greater than 100	36	29	0
	7%	15%	0%
No Response	24	3	11
Mean	46.18	62.16	23.58

**Q2: When thinking about an average patient in high school or first year of post-secondary school, how often would you typically see them?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>More frequently than monthly</b>	36	4	122
	7%	2%	61%
<b>Monthly</b>	49	4	49
	9%	2%	24%
<b>Every few months</b>	154	80	25
	30%	40%	12%
<b>Once a year</b>	249	102	3
	48%	50%	1%
<b>Less than once per year</b>	31	12	2
	6%	6%	1%
<b>No Response</b>	0	0	0
<b>Mean</b>	3.37	3.56	1.58

**Q3: At what age do your adolescent/young adult patients typically transition out of your care?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	202	202	0
	100%	100%	100%
<b>12</b>	0	0	0
	0%	0%	0%
<b>13</b>	0	0	0
	0%	0%	0%
<b>14</b>	0	0	0
	0%	0%	0%
<b>15</b>	0	0	0
	0%	0%	0%
<b>16</b>	1	1	0
	0%	0%	0%
<b>17</b>	1	1	0
	0%	0%	0%
<b>18</b>	53	53	0
	26%	26%	0%
<b>19</b>	27	27	0
	13%	13%	0%
<b>20</b>	15	15	0
	7%	7%	0%
<b>21</b>	60	60	0
	30%	30%	0%
<b>22</b>	23	23	0
	11%	11%	0%
<b>23</b>	6	6	0
	3%	3%	0%
<b>24</b>	7	7	0
	3%	3%	0%

25	9	9	0
	4%	4%	0%
<b>No Response</b>	317	0	201
<b>Mean</b>	9.28	9.28	0

**Q4-C1-R1:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Chronic physical illness (diabetes, asthma, etc.)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
1	62	3	74
	12%	1%	37%
2	35	9	12
	7%	4%	6%
3	13	7	5
	3%	3%	2%
4	5	1	2
	1%	0%	1%
5	106	28	45
	20%	14%	22%
6	1	1	0
	0%	0%	0%
7	3	3	0
	1%	1%	0%
8	6	4	0
	1%	2%	0%
10	93	40	20
	18%	20%	10%
12	0	0	0
	0%	0%	0%
13	0	0	0
	0%	0%	0%
15	35	18	13
	7%	9%	6%
16	1	0	0
	0%	0%	0%
18	1	1	1
	0%	0%	0%
20	59	29	9
	11%	14%	4%
22	1	1	0
	0%	0%	0%
25	23	14	5
	4%	7%	2%
30	32	15	10
	6%	7%	5%
33	1	0	1
	0%	0%	0%
34	1	0	0
	0%	0%	0%
35	3	1	0



	1%	0%	0%
40	11	9	1
	2%	4%	0%
45	2	1	0
	0%	0%	0%
50	10	6	3
	2%	3%	1%
55	0	0	0
	0%	0%	0%
60	1	0	0
	0%	0%	0%
61	1	1	0
	0%	0%	0%
65	1	0	0
	0%	0%	0%
70	2	1	0
	0%	0%	0%
75	2	2	0
	0%	1%	0%
80	4	3	0
	1%	1%	0%
89	1	1	0
	0%	0%	0%
90	0	0	0
	0%	0%	0%
95	2	2	0
	0%	1%	0%
100	1	1	0
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	14.26	19.68	7.9

**Q4-C1-R2:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Physical disabilities**

	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	<b>519</b>	<b>202</b>	<b>201</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
1	220	56	119
	42%	28%	59%
2	65	31	19
	13%	15%	9%
3	30	14	5
	6%	7%	2%
4	8	4	1
	2%	2%	0%
5	126	67	34
	24%	33%	17%
6	0	0	0
	0%	0%	0%
7	0	0	1
	0%	0%	0%
8	1	1	1
	0%	0%	0%
9	1	0	0
	0%	0%	0%
10	40	13	17
	8%	6%	8%
12	0	0	0
	0%	0%	0%
15	9	5	0
	2%	2%	0%
16	1	0	0
	0%	0%	0%
20	8	3	2
	2%	1%	1%
25	3	2	1
	1%	1%	0%
30	1	1	0
	0%	0%	0%
35	1	1	0
	0%	0%	0%
40	0	0	0
	0%	0%	0%
50	3	2	1
	1%	1%	0%
60	0	0	0
	0%	0%	0%
75	1	1	0
	0%	0%	0%
80	1	1	0
	0%	0%	0%
90	0	0	0
	0%	0%	0%

95	0	0	0
	0%	0%	0%
100	0	0	0
	0%	0%	0%
No Response	0	0	0
Mean	4.38	5.71	3.21

**Q4-C1-R3:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Mood disorders (depression, bipolar disorder)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
1	36	19	0
	7%	9%	0%
2	31	12	0
	6%	6%	0%
3	17	12	0
	3%	6%	0%
4	3	1	0
	1%	0%	0%
5	65	37	8
	13%	18%	4%
6	1	1	0
	0%	0%	0%
7	2	1	0
	0%	0%	0%
8	3	1	0
	1%	0%	0%
10	100	42	19
	19%	21%	9%
12	2	1	2
	0%	0%	1%
13	2	0	1
	0%	0%	0%
14	0	0	1
	0%	0%	0%
15	43	21	12
	8%	10%	6%
20	66	22	22
	13%	11%	11%
22	1	1	0
	0%	0%	0%
25	31	11	19
	6%	5%	9%
26	1	0	2
	0%	0%	1%
29	1	1	0
	0%	0%	0%
30	34	9	24
	7%	4%	12%
32	0	0	0

	0%	0%	0%
33	1	1	0
	0%	0%	0%
35	8	1	9
	2%	0%	4%
40	21	5	16
	4%	2%	8%
45	3	0	4
	1%	0%	2%
49	0	0	1
	0%	0%	0%
50	16	3	20
	3%	1%	10%
60	7	0	11
	1%	0%	5%
65	2	0	2
	0%	0%	1%
70	2	0	3
	0%	0%	1%
75	4	0	8
	1%	0%	4%
80	5	0	6
	1%	0%	3%
85	2	0	3
	0%	0%	1%
90	8	0	7
	2%	0%	3%
95	1	0	1
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	19.04	12.33	36.78

**Q4-C1-R4:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Anxiety disorders**

	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	<b>519</b>	<b>202</b>	<b>201</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
1	42	17	8
	8%	8%	4%
2	21	11	1
	4%	5%	0%
3	18	12	3
	3%	6%	1%
4	7	3	0
	1%	1%	0%
5	81	38	7
	16%	19%	3%
6	2	0	1
	0%	0%	0%
7	5	2	1
	1%	1%	0%
8	3	3	0
	1%	1%	0%
9	0	0	0
	0%	0%	0%
10	103	47	22
	20%	23%	11%
11	1	0	1
	0%	0%	0%
12	1	0	0
	0%	0%	0%
15	59	26	21
	11%	13%	10%
18	0	0	1
	0%	0%	0%
20	45	13	20
	9%	6%	10%
23	1	0	1
	0%	0%	0%
24	2	0	1
	0%	0%	0%
25	31	9	16
	6%	4%	8%
30	30	10	22
	6%	5%	11%
33	1	1	0
	0%	0%	0%
35	7	3	4
	1%	1%	2%
40	18	5	16
	3%	2%	8%
45	1	0	1
	0%	0%	0%
50	17	2	22

	3%	1%	11%
53	0	0	0
	0%	0%	0%
60	7	0	10
	1%	0%	5%
65	1	0	2
	0%	0%	1%
70	3	0	4
	1%	0%	2%
75	4	0	6
	1%	0%	3%
80	5	0	6
	1%	0%	3%
85	0	0	0
	0%	0%	0%
90	2	0	2
	0%	0%	1%
100	1	0	2
	0%	0%	1%
<i>No Response</i>	0	0	0
<i>Mean</i>	16.94	11.87	31.76

**Q4-C1-R5:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Anxiety/stress**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
1	32	10	10
	6%	5%	5%
2	18	6	3
	3%	3%	1%
3	9	5	1
	2%	2%	0%
4	5	2	0
	1%	1%	0%
5	51	25	12
	10%	12%	6%
6	0	0	0
	0%	0%	0%
7	0	0	0
	0%	0%	0%
8	4	3	2
	1%	1%	1%
10	83	38	19
	16%	19%	9%
13	0	0	0
	0%	0%	0%
14	2	1	0
	0%	0%	0%
15	41	22	11
	8%	11%	5%

16	1	0	1
	0%	0%	0%
18	0	0	1
	0%	0%	0%
20	59	27	20
	11%	13%	10%
24	0	0	0
	0%	0%	0%
25	45	14	16
	9%	7%	8%
28	2	0	0
	0%	0%	0%
30	34	15	10
	7%	7%	5%
33	1	1	1
	0%	0%	0%
35	12	4	4
	2%	2%	2%
37	0	0	1
	0%	0%	0%
40	35	9	20
	7%	4%	10%
45	2	0	3
	0%	0%	1%
48	0	0	0
	0%	0%	0%
50	39	10	17
	8%	5%	8%
53	1	0	0
	0%	0%	0%
55	0	0	1
	0%	0%	0%
56	0	0	0
	0%	0%	0%
60	7	2	8
	1%	1%	4%
65	2	1	1
	0%	0%	0%
70	2	1	2
	0%	0%	1%
75	6	0	7
	1%	0%	3%
80	12	3	13
	2%	1%	6%
85	1	1	0
	0%	0%	0%
90	6	0	9
	1%	0%	4%
95	3	1	2
	1%	0%	1%
98	0	0	1
	0%	0%	0%
100	4	1	5

	1%	0%	2%
<i>No Response</i>	0	0	0
<i>Mean</i>	24.33	20.13	37.23



**Q4-C1-R6:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Psychoses (schizophrenia, etc.)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
1	359	164	93
	69%	81%	46%
2	43	13	20
	8%	6%	10%
3	16	5	5
	3%	2%	2%
4	1	1	1
	0%	0%	0%
5	59	12	42
	11%	6%	21%
6	1	0	1
	0%	0%	0%
7	1	0	1
	0%	0%	0%
10	20	4	21
	4%	2%	10%
12	1	0	1
	0%	0%	0%
15	4	1	5
	1%	0%	2%
20	6	0	6
	1%	0%	3%
25	1	0	1
	0%	0%	0%
30	2	0	2
	0%	0%	1%
37	1	1	0
	0%	0%	0%
40	2	1	1
	0%	0%	0%
50	2	0	1
	0%	0%	0%
<b>No Response</b>	0	0	0
<b>Mean</b>	2.89	1.99	4.81

**Q4-C1-R7:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Eating disorders**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
1	184	91	69
	35%	45%	34%
2	76	41	19

	15%	20%	9%
3	32	11	7
	6%	5%	3%
4	7	4	1
	1%	2%	0%
5	105	32	50
	20%	16%	25%
6	4	1	1
	1%	0%	0%
7	2	2	0
	0%	1%	0%
8	3	0	1
	1%	0%	0%
9	0	0	0
	0%	0%	0%
10	62	13	30
	12%	6%	15%
11	1	1	0
	0%	0%	0%
15	14	1	7
	3%	0%	3%
18	1	0	0
	0%	0%	0%
20	12	1	10
	2%	0%	5%
25	8	1	4
	2%	0%	2%
30	2	1	1
	0%	0%	0%
35	0	0	0
	0%	0%	0%
40	4	2	0
	1%	1%	0%
50	2	0	1
	0%	0%	0%
60	0	0	0
	0%	0%	0%
80	0	0	0
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	5.14	3.53	5.88

**Q4-C1-R8:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Self-injury or suicide attempts**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
1	204	77	22
	39%	38%	11%
2	75	43	17
	14%	21%	8%

3	16	6	6
	3%	3%	3%
4	4	2	2
	1%	1%	1%
5	92	43	35
	18%	21%	17%
6	1	1	0
	0%	0%	0%
7	0	0	0
	0%	0%	0%
8	4	1	4
	1%	0%	2%
10	49	18	35
	9%	9%	17%
12	0	0	1
	0%	0%	0%
15	13	2	16
	3%	1%	8%
20	24	2	20
	5%	1%	10%
23	0	0	0
	0%	0%	0%
25	8	3	9
	2%	1%	4%
26	1	1	1
	0%	0%	0%
30	10	1	11
	2%	0%	5%
40	5	2	6
	1%	1%	3%
45	0	0	0
	0%	0%	0%
50	7	0	9
	1%	0%	4%
59	1	0	1
	0%	0%	0%
60	1	0	1
	0%	0%	0%
70	2	0	2
	0%	0%	1%
75	1	0	1
	0%	0%	0%
90	1	0	1
	0%	0%	0%
95	0	0	1
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	6.9	4.35	15.33

**Q4-C1-R9:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - ADHD**

	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	<b>519</b>	<b>202</b>	<b>201</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
1	43	7	10
	8%	3%	5%
2	19	5	3
	4%	2%	1%
3	15	7	1
	3%	3%	0%
4	7	1	1
	1%	0%	0%
5	79	36	15
	15%	18%	7%
6	3	3	1
	1%	1%	0%
7	4	4	0
	1%	2%	0%
8	9	6	0
	2%	3%	0%
9	3	0	0
	1%	0%	0%
10	102	47	33
	20%	23%	16%
11	0	0	0
	0%	0%	0%
12	3	2	0
	1%	1%	0%
13	1	0	1
	0%	0%	0%
14	1	1	0
	0%	0%	0%
15	50	22	18
	10%	11%	9%
17	1	0	0
	0%	0%	0%
18	1	0	0
	0%	0%	0%
20	63	24	24
	12%	12%	12%
22	1	1	0
	0%	0%	0%
23	0	0	1
	0%	0%	0%
24	1	0	0
	0%	0%	0%
25	38	15	25
	7%	7%	12%
30	23	9	13
	4%	4%	6%
32	0	0	1

	0%	0%	0%
33	0	0	3
	0%	0%	1%
35	9	2	8
	2%	1%	4%
39	0	0	0
	0%	0%	0%
40	21	7	15
	4%	3%	7%
45	0	0	1
	0%	0%	0%
50	10	2	10
	2%	1%	5%
60	4	1	3
	1%	0%	1%
65	1	0	1
	0%	0%	0%
70	3	0	5
	1%	0%	2%
75	2	0	4
	0%	0%	2%
80	0	0	0
	0%	0%	0%
90	2	0	4
	0%	0%	2%
<i>No Response</i>	0	0	0
<i>Mean</i>	15.43	13.92	25.1

**Q4-C1-R10:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Autism spectrum disorders**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
1	203	60	48
	39%	30%	24%
2	83	41	15
	16%	20%	7%
3	26	13	7
	5%	6%	3%
4	3	1	0
	1%	0%	0%
5	105	51	42
	20%	25%	21%
6	0	0	0
	0%	0%	0%
7	0	0	0
	0%	0%	0%
8	4	3	1
	1%	1%	0%
9	1	1	2
	0%	0%	1%

10	50	18	38
	10%	9%	19%
12	1	1	0
	0%	0%	0%
15	17	6	9
	3%	3%	4%
19	0	0	1
	0%	0%	0%
20	15	2	14
	3%	1%	7%
25	4	2	7
	1%	1%	3%
30	5	2	6
	1%	1%	3%
35	0	0	0
	0%	0%	0%
40	1	1	6
	0%	0%	3%
50	1	0	1
	0%	0%	0%
60	0	0	0
	0%	0%	0%
71	0	0	1
	0%	0%	0%
85	0	0	2
	0%	0%	1%
98	0	0	1
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	4.68	4.68	10.61

**Q4-C1-R11:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Learning disabilities**

	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	<b>519</b>	<b>202</b>	<b>201</b>
	<b>100%</b>	<b>100%</b>	<b>100%</b>
1	99	18	39
	19%	9%	19%
2	50	24	8
	10%	12%	4%
3	23	17	2
	4%	8%	1%
4	6	2	2
	1%	1%	1%
5	130	51	32
	25%	25%	16%
6	1	1	2
	0%	0%	1%
7	4	2	1
	1%	1%	0%
8	6	2	1
	1%	1%	0%
10	102	49	28
	20%	24%	14%
12	2	1	1
	0%	0%	0%
15	30	10	22
	6%	5%	11%
18	0	0	1
	0%	0%	0%
20	28	14	19
	5%	7%	9%
22	1	0	0
	0%	0%	0%
25	9	3	8
	2%	1%	4%
30	13	2	12
	3%	1%	6%
33	1	0	0
	0%	0%	0%
35	2	2	0
	0%	1%	0%
40	4	1	8
	1%	0%	4%
42	0	0	1
	0%	0%	0%
45	0	0	1
	0%	0%	0%
50	3	2	1
	1%	1%	0%
60	1	0	3
	0%	0%	1%
70	0	0	0

	0%	0%	0%
75	2	0	3
	0%	0%	1%
80	0	0	1
	0%	0%	0%
85	0	0	0
	0%	0%	0%
90	1	0	4
	0%	0%	2%
95	1	1	0
	0%	0%	0%
100	0	0	1
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	8.71	8.85	16.11

**Q4-C1-R12:What percentage of the high school or first year of post-secondary school patients you treat have each of the following? Provide your best estimate.: - Substance use disorder**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
1	134	65	32
	26%	32%	16%
2	46	26	3
	9%	13%	1%
3	18	6	11
	3%	3%	5%
4	4	1	0
	1%	0%	0%
5	133	59	31
	26%	29%	15%
6	1	0	1
	0%	0%	0%
7	3	2	2
	1%	1%	1%
8	2	2	1
	0%	1%	0%
9	1	0	0
	0%	0%	0%
10	69	19	39
	13%	9%	19%
15	28	11	13
	5%	5%	6%
19	1	1	0
	0%	0%	0%
20	25	2	20
	5%	1%	10%
24	1	0	1
	0%	0%	0%
25	17	1	13
	3%	0%	6%



27	1	1	1
	0%	0%	0%
30	17	3	14
	3%	1%	7%
35	2	0	2
	0%	0%	1%
40	6	0	5
	1%	0%	2%
45	0	0	0
	0%	0%	0%
46	0	0	1
	0%	0%	0%
50	4	1	6
	1%	0%	3%
60	2	1	1
	0%	0%	0%
66	1	1	0
	0%	0%	0%
68	0	0	0
	0%	0%	0%
70	0	0	0
	0%	0%	0%
75	1	0	0
	0%	0%	0%
80	1	0	2
	0%	0%	1%
90	1	0	1
	0%	0%	0%
100	0	0	1
	0%	0%	0%
<i>No Response</i>	0	0	0
<i>Mean</i>	8.8	5.92	15.23

**Q5: Beyond acute care, what are the main reasons for visits from patients in high school or first year of post-secondary school?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Annual visits (vaccines, family planning, physicals)	362	168	5
	70%	83%	2%
Pre-school, pre-camp physicals	227	123	2
	44%	61%	1%
Management of a medical condition excluding mental health	232	123	16
	45%	61%	8%
Management of a mental health condition	237	94	174
	46%	47%	87%
Substance use	79	19	76
	15%	9%	38%
School/family/social issues	172	70	123
	33%	35%	61%
Other	38	7	13

	7%	3%	6%
<i>No Response</i>	0	0	0
<i>Mean</i>	8	8.53	9.76

**Q6-R1:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Quantity or quality of sleep**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Never	8	0	0
	2%	0%	0%
Rarely	50	10	8
	10%	5%	4%
Sometimes	127	41	24
	24%	20%	12%
Frequently	144	70	50
	28%	35%	25%
Always	190	81	119
	37%	40%	59%
<i>No Response</i>	0	0	0
<i>Mean</i>	3.88	4.1	4.39

**Q6-R2:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Feeling academically overwhelmed**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Never	14	5	0
	3%	2%	0%
Rarely	51	15	8
	10%	7%	4%
Sometimes	152	59	23
	29%	29%	11%
Frequently	199	83	91
	38%	41%	45%
Always	103	40	79
	20%	20%	39%
<i>No Response</i>	0	0	0
<i>Mean</i>	3.63	3.68	4.2

**Q6-R3:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Feeling depressed or anxious**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Never	3	0	0

	1%	0%	0%
Rarely	15	5	0
	3%	2%	0%
Sometimes	96	37	7
	18%	18%	3%
Frequently	183	86	54
	35%	43%	27%
Always	222	74	140
	43%	37%	70%
No Response	0	0	0
Mean	4.17	4.13	4.66

Q6-R4:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Feeling lonely

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	18	4	0
	3%	2%	0%
Rarely	85	27	11
	16%	13%	5%
Sometimes	184	85	35
	35%	42%	17%
Frequently	147	61	82
	28%	30%	41%
Always	85	25	73
	16%	12%	36%
No Response	0	0	0
Mean	3.38	3.38	4.08

Q6-R5:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Peer pressure

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	12	4	0
	2%	2%	0%
Rarely	84	28	14
	16%	14%	7%
Sometimes	165	74	49
	32%	37%	24%
Frequently	172	63	87
	33%	31%	43%
Always	86	33	51
	17%	16%	25%
No Response	0	0	0
Mean	3.45	3.46	3.87

**Q6-R6:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Bullying (including cyberbullying)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	18	5	1
	3%	2%	0%
Rarely	97	26	15
	19%	13%	7%
Sometimes	164	76	46
	32%	38%	23%
Frequently	148	66	70
	29%	33%	35%
Always	92	29	69
	18%	14%	34%
No Response	0	0	0
<b>Mean</b>	3.38	3.44	3.95

**Q6-R7:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Sexual activity**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	1	0	1
	0%	0%	0%
Rarely	30	9	26
	6%	4%	13%
Sometimes	65	28	44
	13%	14%	22%
Frequently	157	63	71
	30%	31%	35%
Always	266	102	59
	51%	50%	29%
No Response	0	0	0
<b>Mean</b>	4.27	4.28	3.8

**Q6-R8:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Abuse/assault**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	8	3	0
	2%	1%	0%
Rarely	78	38	20
	15%	19%	10%
Sometimes	152	72	32

	29%	36%	16%
<b>Frequently</b>	<b>143</b>	<b>60</b>	<b>51</b>
	28%	30%	25%
<b>Always</b>	<b>138</b>	<b>29</b>	<b>98</b>
	27%	14%	49%
<b>No Response</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Mean</b>	<b>3.63</b>	<b>3.37</b>	<b>4.13</b>

**Q6-R9:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Issues with friends or romantic relationships**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	7	2	1
	1%	1%	0%
Rarely	54	19	7
	10%	9%	3%
Sometimes	132	68	19
	25%	34%	9%
Frequently	199	73	83
	38%	36%	41%
Always	127	40	91
	24%	20%	45%
No Response	0	0	0
<b>Mean</b>	3.74	3.64	4.27

**Q6-R10:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Problems at home**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	8	1	1
	2%	0%	0%
Rarely	39	15	2
	8%	7%	1%
Sometimes	144	61	17
	28%	30%	8%
Frequently	190	88	64
	37%	44%	32%
Always	138	37	117
	27%	18%	58%
No Response	0	0	0
<b>Mean</b>	3.79	3.72	4.46

**Q6-R11:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Drug/alcohol/substance use**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	5	1	0
	1%	0%	0%
Rarely	20	10	8
	4%	5%	4%
Sometimes	85	33	26
	16%	16%	13%

Frequently	165	73	43
	32%	36%	21%
Always	244	85	124
	47%	42%	62%
No Response	0	0	0
Mean	4.2	4.14	4.41

**Q6-R12:How often do you screen for or discuss the following topics with patients in high school or first year of post-secondary school? : Suicide risk**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	7	2	0
	1%	1%	0%
Rarely	61	19	2
	12%	9%	1%
Sometimes	139	64	27
	27%	32%	13%
Frequently	126	62	31
	24%	31%	15%
Always	186	55	141
	36%	27%	70%
No Response	0	0	0
Mean	3.82	3.74	4.55

**Q7: When screening for mental health conditions and emotional issues in patients in high school or first year of post-secondary school, how prepared do you feel?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Very prepared	212	66	178
	41%	33%	89%
Somewhat prepared	254	118	21
	49%	58%	10%
Not well prepared	50	18	1
	10%	9%	0%
Don't feel this is within my scope	3	0	1
	1%	0%	0%
No Response	0	0	0
Mean	1.7	1.76	1.13

**Q8-R1:Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Substance use disorder**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%

Yes, seen increase	263	92	95
	51%	46%	47%
No, have not seen increase	256	110	106
	49%	54%	53%
No Response	0	0	0
Mean	1.49	1.54	1.53

**Q8-R2: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Sexual assault/rape**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Yes, seen increase	121	39	49
	23%	19%	24%
No, have not seen increase	398	163	152
	77%	81%	76%
No Response	0	0	0
Mean	1.77	1.81	1.76

**Q8-R3: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Suicidal behavior**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Yes, seen increase	200	89	91
	39%	44%	45%
No, have not seen increase	319	113	110
	61%	56%	55%
No Response	0	0	0
Mean	1.61	1.56	1.55

**Q8-R4: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Mood disorders (depression, bipolar disorder)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Yes, seen increase	362	151	115
	70%	75%	57%
No, have not seen increase	157	51	86
	30%	25%	43%
No Response	0	0	0
Mean	1.3	1.25	1.43



**Q8-R5: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Anxiety disorders**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes, seen increase</b>	419	178	143
	81%	88%	71%
<b>No, have not seen increase</b>	100	24	58
	19%	12%	29%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.19	1.12	1.29

**Q8-R6: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Anxiety/stress**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes, seen increase</b>	447	188	159
	86%	93%	79%
<b>No, have not seen increase</b>	72	14	42
	14%	7%	21%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.14	1.07	1.21

**Q8-R7: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Bullying/cyberbullying**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes, seen increase</b>	337	140	150
	65%	69%	75%
<b>No, have not seen increase</b>	182	62	51
	35%	31%	25%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.35	1.31	1.25

**Q8-R8: Over the last 5 years, have you seen an increase in the following issues among your patients who are in high school or first year of post-secondary school? : Problematic use of media or technology**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes, seen increase</b>	409	171	169
	79%	85%	84%
<b>No, have not seen increase</b>	110	31	32

	21%	15%	16%
<i>No Response</i>	0	0	0
<i>Mean</i>	1.21	1.15	1.16

**Q9: How often do you discuss how to continue health care in post-secondary school with high school seniors?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Always	213	85	108
	41%	42%	54%
Frequently	168	75	53
	32%	37%	26%
Sometimes	93	30	26
	18%	15%	13%
Rarely	35	9	9
	7%	4%	4%
Never	10	3	5
	2%	1%	2%
<i>No Response</i>	0	0	0
<i>Mean</i>	4.04	4.14	4.24

**Q10: Who typically initiates conversations about continuing health care in post-secondary school?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	509	199	196
	100%	100%	100%
Me	411	162	171
	81%	81%	87%
Parent/guardian	87	32	21
	17%	16%	11%
Teen	11	5	4
	2%	3%	2%
<i>No Response</i>	10	3	5
<i>Mean</i>	1.21	1.21	1.15

**Q11: When do you typically initiate conversations about continuing health care in post-secondary school among students who have a history of mental health issues?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	509	199	196
	100%	100%	100%
9th grade	78	25	42
	15%	13%	21%
10th grade	40	12	12
	8%	6%	6%
11th grade	94	40	48
	18%	20%	24%

12th grade	249	105	85
	49%	53%	43%
I do not initiate conversations about continuing health care in post-secondary school	48	17	9
	9%	9%	5%
No Response	10	3	5
Mean	3.29	3.39	3.04

Q12-C1-R1: Listed below are actions you may take in developing a plan with students to continue care during post-secondary school. Please rank the actions from 1 to 4, where 1 is the most important action. If you do not typically participate in these actions or play a very limited role in developing plans to continue care during post-secondary school, please select the corresponding box below.: Rank - Initiate discussions

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total</b>	519	202	201
	100%	100%	100%
1	321	135	141
	62%	67%	70%
2	67	25	16
	13%	12%	8%
3	41	16	17
	8%	8%	8%
4	21	10	11
	4%	5%	5%
No Response	69	16	16
	13%	8%	8%
Mean	1.47	1.47	1.45

Q12-C1-R2: Listed below are actions you may take in developing a plan with students to continue care during post-secondary school. Please rank the actions from 1 to 4, where 1 is the most important action. If you do not typically participate in these actions or play a very limited role in developing plans to continue care during post-secondary school, please select the corresponding box below.: Rank - Provide a care plan/checklist/resources

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total</b>	519	202	201
	100%	100%	100%
1	36	10	25
	7%	5%	12%
2	120	44	62
	23%	22%	31%
3	126	48	55
	24%	24%	27%
4	168	84	43
	32%	42%	21%
No Response	69	16	16
	13%	8%	8%
Mean	2.95	3.11	2.63

Q12-C1-R3: Listed below are actions you may take in developing a plan with students to continue care during post-secondary school. Please rank the actions from 1 to 4, where 1 is the most important action. If you do not typically participate in these actions or play a very limited role in developing plans to continue care during post-secondary school, please select the corresponding box below.: Rank - Answer questions if they come up

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total</b>	519	202	201
	100%	100%	100%
1	63	26	12
	12%	13%	6%
2	157	67	59
	30%	33%	29%
3	119	46	50
	23%	23%	25%
4	111	47	64
	21%	23%	32%
<b>No Response</b>	69	16	16
	13%	8%	8%
<b>Mean</b>	2.62	2.61	2.9

Q12-C1-R4: Listed below are actions you may take in developing a plan with students to continue care during post-secondary school. Please rank the actions from 1 to 4, where 1 is the most important action. If you do not typically participate in these actions or play a very limited role in developing plans to continue care during post-secondary school, please select the corresponding box below.: Rank - Provide referrals

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total</b>	519	202	201
	100%	100%	100%
1	31	16	7
	6%	8%	3%
2	106	50	48
	20%	25%	24%
3	164	76	63
	32%	38%	31%
4	149	44	67
	29%	22%	33%
<b>No Response</b>	69	16	16
	13%	8%	8%
<b>Mean</b>	2.96	2.8	3.03

Q12-C1-R5: Listed below are actions you may take in developing a plan with students to continue care during post-secondary school. Please rank the actions from 1 to 4, where 1 is the most important action. If you do not typically participate in these actions or play a very limited role in developing plans to continue care during post-secondary school, please select the corresponding box below.: Rank - I do not participate or rarely participate in developing plans for continuing care during post-secondary school

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total</b>	519	202	201
	100%	100%	100%
0	450	186	185

	87%	92%	92%
1	69	16	16
	13%	8%	8%
<i>No Response</i>	0	0	0
	0%	0%	0%
<i>Mean</i>	0.13	0.08	0.08

**Q13: For patients in high school who have chronic medical conditions, how often do you develop a plan to continue care during post-secondary school?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	450	186	185
	100%	100%	100%
Always	175	81	71
	39%	44%	38%
Frequently	169	72	48
	38%	39%	26%
Sometimes	70	25	29
	16%	13%	16%
Rarely	26	8	24
	6%	4%	13%
Never	10	0	13
	2%	0%	7%
<i>No Response</i>	69	16	16
<i>Mean</i>	4.05	4.22	3.76

**Q14: How often do you coordinate care with the counseling center at the post-secondary school?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	450	186	185
	100%	100%	100%
Always	29	8	23
	6%	4%	12%
Frequently	86	24	63
	19%	13%	34%
Sometimes	148	62	65
	33%	33%	35%
Rarely	124	65	25
	28%	35%	14%
Never	63	27	9
	14%	15%	5%
<i>No Response</i>	69	16	16
<i>Mean</i>	2.76	2.58	3.36

**Q15: What are your main challenges in helping a high school student prepare for post-secondary school? Please select all that apply.**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201

	100%	100%	100%
Patients in high school no longer visit frequently	223	114	39
	43%	56%	19%
Patients in high school not communicating well	201	78	61
	39%	39%	30%
Patients in high school not open to hearing advice	170	59	63
	33%	29%	31%
Parents not open to hearing advice	102	31	43
	20%	15%	21%
Lack of parental involvement	150	43	76
	29%	21%	38%
Parental pressure about college	90	26	65
	17%	13%	32%
Patients not going to college	127	38	54
	24%	19%	27%
Lack of helpful resources to share with patients/families	231	100	76
	45%	50%	38%
Unsure what advice to offer	75	30	10
	14%	15%	5%
Other (Specify)	39	12	29
	8%	6%	14%
<i>No Response</i>	0	0	0
<i>Mean</i>	12.78	11.87	13.22

**Q16-R1: For patients in high school who are transitioning to post-secondary school, how often do you do each of the following:: Encourage assumption of increased responsibility for their health care management**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Never	9	2	4
	2%	1%	2%
Rarely	22	6	8
	4%	3%	4%
Sometimes	93	32	25
	18%	16%	12%
Frequently	209	89	72
	40%	44%	36%
Always	186	73	92
	36%	36%	46%
<i>No Response</i>	0	0	0
<i>Mean</i>	4.04	4.11	4.19

**Q16-R2:For patients in high school who are transitioning to post-secondary school, how often do you do each of the following:: Ensure that the teen understands their health conditions and medications**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	10	3	4
	2%	1%	2%
Rarely	6	2	1
	1%	1%	0%
Sometimes	72	28	23
	14%	14%	11%
Frequently	187	86	57
	36%	43%	28%
Always	244	83	116
	47%	41%	58%
No Response	0	0	0
<b>Mean</b>	4.25	4.21	4.39

**Q16-R3:For patients in high school who are transitioning to post-secondary school, how often do you do each of the following:: Send copies of reports, letters, and tests to the teen and their family**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Never	71	26	26
	14%	13%	13%
Rarely	114	49	36
	22%	24%	18%
Sometimes	191	71	71
	37%	35%	35%
Frequently	111	44	49
	21%	22%	24%
Always	32	12	19
	6%	6%	9%
No Response	0	0	0
<b>Mean</b>	2.84	2.84	3

**Q17-R1:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Nutrition, fitness, and sleep**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Yes	462	188	178
	89%	93%	89%
No	57	14	23
	11%	7%	11%
No Response	0	0	0

<i>Mean</i>	1.11	1.07	1.11
-------------	------	------	------

<b>Q17-R2:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Sexuality and relationships</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Yes	422	167	153
	81%	83%	76%
No	97	35	48
	19%	17%	24%
<i>No Response</i>	0	0	0
<i>Mean</i>	1.19	1.17	1.24

<b>Q17-R3:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Gender identity and sexual orientation</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Yes	262	104	114
	50%	51%	57%
No	257	98	87
	50%	49%	43%
<i>No Response</i>	0	0	0
<i>Mean</i>	1.5	1.49	1.43

<b>Q17-R4:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Alcohol and substance use</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Yes	463	182	184
	89%	90%	92%
No	56	20	17
	11%	10%	8%
<i>No Response</i>	0	0	0
<i>Mean</i>	1.11	1.1	1.08

<b>Q17-R5:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : The teen's specific health condition</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<i>Total Responding</i>	519	202	201
	100%	100%	100%
Yes	474	190	176



	91%	94%	88%
No	45	12	25
	9%	6%	12%
No Response	0	0	0
Mean	1.09	1.06	1.12

Q17-R6:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Health insurance			
	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
Total Responding	519	202	201
	100%	100%	100%
Yes	180	68	71
	35%	34%	35%
No	339	134	130
	65%	66%	65%
No Response	0	0	0
Mean	1.65	1.66	1.65

Q17-R7:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Sports/athletics			
	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
Total Responding	519	202	201
	100%	100%	100%
Yes	329	169	69
	63%	84%	34%
No	190	33	132
	37%	16%	66%
No Response	0	0	0
Mean	1.37	1.16	1.66

Q17-R8:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : College/work plans			
	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
Total Responding	519	202	201
	100%	100%	100%
Yes	373	165	160
	72%	82%	80%
No	146	37	41
	28%	18%	20%
No Response	0	0	0
Mean	1.28	1.18	1.2

**Q17-R9:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Functional independence (for patients without disabilities)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes</b>	301	132	140
	58%	65%	70%
<b>No</b>	218	70	61
	42%	35%	30%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.42	1.35	1.3

**Q17-R10:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Functional independence and community inclusion (for patients with disabilities)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes</b>	271	122	130
	52%	60%	65%
<b>No</b>	248	80	71
	48%	40%	35%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.48	1.4	1.35

**Q17-R11:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Medical decision-making/privacy at age of majority (state specific)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes</b>	325	132	112
	63%	65%	56%
<b>No</b>	194	70	89
	37%	35%	44%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.37	1.35	1.44

**Q17-R12:Do you typically provide guidance to your patients in high school transitioning to post-secondary school on the following topics? : Legal matters (e.g., advance medical directive, power of attorney)**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
<b>Yes</b>	70	27	39
	13%	13%	19%

No	449	175	162
	87%	87%	81%
No Response	0	0	0
Mean	1.87	1.87	1.81

**Q18: How often do you have conversations about sensitive issues with your high school or first year of post-secondary school patient without parents in the room?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Always	203	83	83
	39%	41%	41%
Frequently	217	85	89
	42%	42%	44%
Sometimes	76	26	24
	15%	13%	12%
Rarely	20	8	3
	4%	4%	1%
Never	3	0	2
	1%	0%	1%
No Response	0	0	0
Mean	4.15	4.2	4.23

**Q19: Where do you practice?**

	Total Physicians	Pediatrician	Psychiatrist/ Psychologist
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Alabama	5	2	1
	1%	1%	0%
Alaska	1	0	0
	0%	0%	0%
Arizona	8	3	3
	2%	1%	1%
Arkansas	1	1	0
	0%	0%	0%
California	44	18	21
	8%	9%	10%
Colorado	8	3	4
	2%	1%	2%
Connecticut	8	4	7
	2%	2%	3%
D.C. - District of Columbia	3	1	2
	1%	0%	1%
Delaware	2	0	1
	0%	0%	0%
Florida	24	11	6
	5%	5%	3%
Georgia	14	5	3

	3%	2%	1%
Hawaii	3	2	0
	1%	1%	0%
Idaho	1	1	1
	0%	0%	0%
Illinois	22	5	10
	4%	2%	5%
Indiana	16	6	2
	3%	3%	1%
Iowa	4	0	3
	1%	0%	1%
Kansas	3	1	0
	1%	0%	0%
Kentucky	7	3	0
	1%	1%	0%
Louisiana	5	3	1
	1%	1%	0%
Maine	1	1	1
	0%	0%	0%
Maryland	13	6	8
	3%	3%	4%
Massachusetts	24	10	8
	5%	5%	4%
Michigan	14	2	4
	3%	1%	2%
Minnesota	8	4	6
	2%	2%	3%
Mississippi	2	1	0
	0%	0%	0%
Missouri	9	5	1
	2%	2%	0%
Montana	0	0	0
	0%	0%	0%
Nebraska	4	3	2
	1%	1%	1%
Nevada	2	1	1
	0%	0%	0%
New Hampshire	4	1	3
	1%	0%	1%
New Jersey	16	6	10
	3%	3%	5%
New Mexico	9	3	7
	2%	1%	3%
New York	56	26	19
	11%	13%	9%
North Carolina	22	7	10
	4%	3%	5%
North Dakota	0	0	1
	0%	0%	0%
Ohio	18	6	5
	3%	3%	2%
Oklahoma	8	1	1
	2%	0%	0%

<b>Oregon</b>	<b>5</b>	<b>3</b>	<b>3</b>
	1%	1%	1%
<b>Pennsylvania</b>	<b>38</b>	<b>10</b>	<b>16</b>
	7%	5%	8%
<b>Rhode Island</b>	<b>1</b>	<b>1</b>	<b>0</b>
	0%	0%	0%
<b>South Carolina</b>	<b>7</b>	<b>1</b>	<b>3</b>
	1%	0%	1%
<b>South Dakota</b>	<b>0</b>	<b>0</b>	<b>0</b>
	0%	0%	0%
<b>Tennessee</b>	<b>6</b>	<b>3</b>	<b>4</b>
	1%	1%	2%
<b>Texas</b>	<b>39</b>	<b>20</b>	<b>6</b>
	8%	10%	3%
<b>Utah</b>	<b>3</b>	<b>0</b>	<b>1</b>
	1%	0%	0%
<b>Virginia</b>	<b>12</b>	<b>5</b>	<b>7</b>
	2%	2%	3%
<b>Washington</b>	<b>5</b>	<b>2</b>	<b>4</b>
	1%	1%	2%
<b>West Virginia</b>	<b>2</b>	<b>2</b>	<b>1</b>
	0%	1%	0%
<b>Wisconsin</b>	<b>11</b>	<b>3</b>	<b>4</b>
	2%	1%	2%
<b>Wyoming</b>	<b>1</b>	<b>0</b>	<b>0</b>
	0%	0%	0%
<b>No Response</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Mean</b>	<b>26.15</b>	<b>26.03</b>	<b>25.98</b>

<b>Region:</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Northeast (ME, NH, VT, MA, CT, RI)	38	17	19
	7%	8%	9%
Mid Atlantic (WV, VA, DE, MD, DC, NC, PA, NJ, NY)	164	63	74
	32%	31%	37%
Great lakes (OH, MI, IN, IL, WI, MN)	89	26	31
	17%	13%	15%
Southeast (SC, GA, FL, AL, MS, LA, TN, KY)	70	29	18
	13%	14%	9%
South Central (TX, OK, AR)	48	22	7
	9%	11%	3%
Southwest (AZ, UT, CO, NM, NV)	30	10	16
	6%	5%	8%
North Central (IA, MO, KS, NE, SD, ND)	20	9	7
	4%	4%	3%
Northwest (MT, WY, ID, OR, WA)	12	6	8
	2%	3%	4%
West (CA, AK, HI)	48	20	21
	9%	10%	10%
<b>No Response</b>	0	0	0
<b>Mean</b>	3.86	3.95	3.81

<b>Q20: What is your gender?</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	519	202	201
	100%	100%	100%
Male	242	84	101
	47%	42%	50%
Female	276	118	100
	53%	58%	50%
Other (e.g., transgender, transsexual, gender fluid)	1	0	0
	0%	0%	0%
<b>No Response</b>	0	0	0
<b>Mean</b>	1.54	1.58	1.5

<b>Q21: What is your age?</b>			
	<b>Total Physicians</b>	<b>Pediatrician</b>	<b>Psychiatrist/ Psychologist</b>
<b>Total Responding</b>	519	202	201
	100%	100%	100%
28-34	45	15	12
	9%	7%	6%
35-39	57	23	15

	11%	11%	7%
40-44	63	25	21
	12%	12%	10%
45-49	69	24	19
	13%	12%	9%
50-54	84	34	26
	16%	17%	13%
55-59	77	27	39
	15%	13%	19%
60-64	60	29	29
	12%	14%	14%
65-69	39	11	27
	8%	5%	13%
70 or older	25	14	13
	5%	7%	6%
<i>No Response</i>	0	0	0
<i>Mean</i>	4.75	4.86	5.38