

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

May 2019

Page ----	Table -----	Title -----	Base ----	Total -----
1	1	HL002: In general, how would you rate your mental or emotional health?		1084
2	2	MDG1: In the past three years, have you personally experienced any of the following?		1084
4	3	MDG2: Which of the following best describes the...?		408
5	4	MDG3: Approximately how long ago did the... occur?		780
7	5	MDG4: Approximately, how long was the most intense part of your grieving for the...?		780
8	6	MDG5: Which of the following physical symptoms did you experience while grieving this loss?		780
10	7	MDG6: Which of the following mental symptoms did you experience while grieving this loss?		780
12	8	MDG7: Which of the following did you experience as a result of your loss?		780
14	9	MDG8: What coping strategies did you use to help you through this loss?		780
16	10	MDG9: Which of the following negative behaviors did you engage in as a result of the...?		780
18	11	MDG10: As a result of your loss, did a doctor or professional counselor prescribe medications for any of the following conditions?		57
19	12	MDG11: Were you actively receiving professional care for any of the following prior to the...?		780
21	13	MDG12A: Please indicate whether these made/would make you feel better or worse. Tried to cheer me up		1071
22	14	MDG12B: Please indicate whether these made/would make you feel better or worse. Told me I needed to move on and/or seek closure		1071
23	15	MDG12C: Please indicate whether these made/would make you feel better or worse. Shared their own experience with loss		1071

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
 WEIGHTED DATA - BANNER 2

May 2019

Page ----	Table -----	Title	Base ----	Total -----
24	16	MDG12D: Please indicate whether these made/would make you feel better or worse. Said "it could be worse"		1071
25	17	MDG12E: Please indicate whether these made/would make you feel better or worse. Told me what to do/unsolicited advice (e.g., get out more, eat more, exercise, etc.)		1071
26	18	MDG12F: Please indicate whether these made/would make you feel better or worse. Posted about my loss on their social media		1071
27	19	MDG12G: Please indicate whether these made/would make you feel better or worse. Responded with routine comments such as "thoughts and prayers", "better days ahead", "this will make you a stronger person"		1071
28	20	MDG12: Please indicate whether these made/would make you feel better or worse. 'Better' Summary Table		1071
29	21	MDG12: Please indicate whether these made/would make you feel better or worse. 'Worse' Summary Table		1071
30	22	MDG13: On average, how quickly did you feel people expected you get over your grief about the...?		780
32	23	MDG14: What currently triggers you to grieve your loss?		780
34	24	MDG15A: Overall, how has each of the following changed as a result of the...? Relationships		780
35	25	MDG15B: Overall, how has each of the following changed as a result of the...? Faith		780
36	26	MDG15C: Overall, how has each of the following changed as a result of the...? Purpose		780
37	27	MDG15D: Overall, how has each of the following changed as a result of the...? Career		780

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

May 2019

Page ----	Table -----	Title -----	Base ----	Total -----
38	28	MDG15E: Overall, how has each of the following changed as a result of the...? Finances		780
39	29	MDG15F: Overall, how has each of the following changed as a result of the...? Empathy for others		780
40	30	MDG15G: Overall, how has each of the following changed as a result of the...? Appreciation of life		780
41	31	MDG15: Overall, how has each of the following changed as a result of the...? 'Stronger' Summary Table		780
42	32	MDG15: Overall, how has each of the following changed as a result of the...? 'Weaker' Summary Table		780
43	33	Survey Interview Language		1084
44	34	Survey interview mode (online or phone)		1084
45	35	DEVICE: Device		1084
46	36	GENDER: Gender		1084
47	37	AGE4 - 4 Categories		1084
48	38	AGE7 - 7 Categories		1084
49	39	RACETHNICITY: Combined Race/Ethnicity		1084
50	40	EDUC: Education (Highest Degree Received)		1084
52	41	EDUC4: 4-level education		1084
53	42	MARITAL: Marital Status		1084
54	43	EMPLOY: Current Employment Status		1084
55	44	INCOME: Household Income		1084
58	45	State		1084
62	46	REGION4: 4-level region		1084
63	47	REGION9: 9-level region		1084

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
 WEIGHTED DATA - BANNER 2

May 2019

Page ----	Table -----	Title -----	Base ----	Total -----
64	48	METRO: Metropolitan area flag		1084
65	49	INTERNET: HH internet access via dial-up, DSL, or cable broadband at home		1084
66	50	HOUSING: Home Ownership		1084
67	51	HOME_TYPE: Type of building of panelists' residence		1084
68	52	PHONESERVICE: Telephone service for the household		1084
69	53	Household size (including children)		1084
70	54	Number of HH members age 0-1		1084
71	55	Number of HH members age 2-5		1084
72	56	Number of HH members age 6-12		1084
73	57	Number of HH members age 13-17		1084
74	58	Number of HH members age 18+		1084
76	59	Presence of Children <18 in HH		1084

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 1

HL002: In general, how would you rate your mental or emotional health?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrc, rela-tion-ship/home) (NET)	Friend ship/ rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Missing preload	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Top 2 Box (NET)	688	303	246	17	229	57	75	28	47	90	54	22	120	123	109	13	104	36	88	81
	63%QR	67%J	67%K	53%	69%AK	63%	56%	53%	58%	55%	51%	67%	72%A	63%	66%	45%	48%	36%	51%R	52%
Excellent	265	106	82	7	75	24	34	15	20	37	27	4	45	36	33	3	34	4	31	27
	24%QR	23%	22%	21%	23%	27%	25%	27%	24%	22%	25%	11%	27%	19%	20%	9%	16%	4%	18%R	17%
Very good	423	197	164	10	154	33	41	14	28	54	28	19	75	87	76	11	70	33	56	54
	39%K	43%	45%AK	32%	46%AK	36%	30%	25%	34%	33%	26%	56%	45%	45%	46%	36%	32%	32%	33%	35%
Good	257	104	79	6	73	25	39	14	25	43	29	9	35	43	36	7	67	40	51	33
	24%	23%	22%	20%	22%	28%	29%	26%	30%	26%	27%	26%	21%	22%	22%	23%	31%	39%A	30%	21%
Bottom 2 Box (NET)	129	46	38	8	30	8	19	11	8	27	23	2	9	29	19	9	44	25	32	40
	12%M	10%	10%E	25%	9%	9%	14%	21%	10%	16%	21%ACE	6%	6%	15%M	12%	32%	21%A	25%A	19%	26%A
Fair	84	28	20	2	19	8	13	7	6	20	16	2	6	14	10	4	27	16	19	21
	8%	6%	6%	5%	6%	9%	10%	13%	8%	12%	16%ACE	5%	4%	7%	6%	12%	13%	16%A	11%	14%A
Poor	46	18	18	6	12	*	6	4	2	7	6	*	3	15	9	6	17	9	13	19
	4%	4%	5%E	20%	4%	*	4%	8%	2%	5%	6%	1%	2%	8%AM	5%	20%	8%	9%	7%	12%A
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MISSING	8	1	1	*	1	-	2	-	2	4	-	-	1	-	-	-	*	*	-	2
	1%	*	*	1%	*	-	2%	-	3%	2%	-	-	1%	-	-	-	*	*	-	1%
SIGMA	1084	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Table 2

MDG1: In the past three years, have you personally experienced any of the following?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member loss (job, ship/ dvrce, rela- tion- ship)	Other loss (NET)	Friend ship/ career	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- /vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Death of a family member or close friend, excluding your child or spouse/partner	343	343	343	10	333	-	-	-	-	-	-	-	159	180	155	25	69	40	50	67
	32%GJF	75%AGJ	94%AFI	32%	100%ACFI	-	-	-	-	-	-	-	96%A	92%A	94%A	84%	32%	39%	29%	43%A
	IK		K		K															
Loss of a friendship/ relationship	318	151	137	13	124	14	38	18	20	129	106	14	61	74	59	16	136	56	118	78
	29%F	33%	38%AF	42%	37%AF	16%	28%	34%	24%	79%AB	100%ACE	40%	37%A	38%A	35%	53%	63%A	55%A	69%AR	50%A
										G	FI									
Family member's (child, spouse/partner, parent) serious illness or chronic health condition	248	128	117	13	105	11	90	9	82	29	19	4	57	59	47	12	85	33	67	65
	23%	28%AJ	32%AFK	40%	31%AF	12%	67%ABJ	16%	100%ACE	18%	18%	11%	35%A	30%A	28%	40%	40%A	32%	39%A	42%A
									FK											
Death of your pet	217	170	79	6	73	90	23	12	11	24	16	4	42	38	33	5	47	29	38	31
	20%	37%AGJ	22%	19%	22%	100%ACE	17%	23%	14%	14%	15%	11%	25%	19%	20%	16%	22%	28%	22%	20%
						IK														
Serious illness or diagnosis of a chronic health condition (such as cancer, addiction, dementia, paralysis, loss of mobility)	162	81	76	12	65	5	63	54	9	18	9	4	30	45	33	12	60	28	42	45
	15%	18%	21%AFK	36%	19%AFK	6%	46%AB	100%	11%	11%	8%	11%	18%	23%A	20%	40%	28%A	27%A	25%A	29%A
							J													
Loss of your job/ career	124	51	40	4	36	12	25	10	15	47	12	33	16	24	22	1	54	32	43	27
	11%	11%	11%	13%	11%	13%	19%A	18%	19%	29%AB	12%	100%	10%	12%	13%	5%	25%A	31%A	25%A	17%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 2

MDG1: In the past three years, have you personally experienced any of the following?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Loss of your home/ possessions due to natural disaster, or another significant financial loss	46 4%	21 5%	19 5%	1 3%	18 5%	3 3%	11 8%	7 12%	5 6%	13 8%	1 1%	1 4%	9 6%	9 5%	9 5%	* 1%	19 9%A	9 9%	16 10%A	14 9%A
Divorce	43 4%	23 5%	22 6%AE	7 21%	15 5%	1 1%	2 1%	* 1%	2 2%	18 11%AG	3 3%	-	11 6%	12 6%	8 5%	4 13%	15 7%	10 9%	13 8%	7 4%
Death of your spouse or partner	27 3%	27 6%AGJ	27 7%AEK	20 63%	7 2%	-	-	-	-	-	-	-	14 8%A	14 7%A	9 5%	5 18%	12 5%	9 9%A	8 5%	15 10%A
Death of your child	18 2%	18 4%AJ	18 5%AE	12 37%	7 2%	-	-	-	-	-	-	-	2 1%	17 9%AM	15 9%A	1 5%	11 5%A	9 8%A	10 6%A	3 2%
None of the above	311 29%BGJC EPIKMNO QRST	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	18 2%BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1875 173%	1015 223%	879 241%	97 305%	782 235%	136 150%	252 186%	109 204%	143 175%	279 169%	166 157%	59 178%	400 242%	471 242%	390 236%	81 274%	509 236%	255 249%	406 238%	352 226%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 3

MDG2: Which of the following best describes the...?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	408	408	408	35	373	-	-	-	-	-	-	-	196	209	180	29	84	51	60	84
Base: Recent Death	364	364	364	32**	333	**	**	**	**	**	**	**	165	195	165	30**	82*	48**	60*	77*
Death was anticipated	165	165	165	10	155	-	-	-	-	-	-	-	165	-	-	-	23	10	18	25
	45% T	45% NOQ	45%	31%	47%	-	-	-	-	-	-	-	100% AN	-	-	-	28%	22%	30%	32%
Bottom 2 Box (NET)	195	195	195	22	173	-	-	-	-	-	-	-	-	195	165	30	58	37	41	52
	53% M	53%	53%	69%	52%	-	-	-	-	-	-	-	-	100% AM	100% A	100%	71% A	78%	69%	67% A
Death was unanticipated	165	165	165	16	149	-	-	-	-	-	-	-	-	165	165	-	41	26	31	41
	45% M	45%	45%	49%	45%	-	-	-	-	-	-	-	-	85% AM	100% A	-	51%	55%	52%	53%
Death was unanticipated and resulted from violent circumstances (ex: death from car accident, murder) or suicide	30	30	30	6	23	-	-	-	-	-	-	-	-	30	-	30	17	11	10	11
	8% EMO	8%	8% E	20%	7%	-	-	-	-	-	-	-	-	15% AM	-	100%	21% A	23%	17%	14%
DON'T KNOW	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
	* 1%	* 1%	* 1%	-	* 1%	-	-	-	-	-	-	-	-	-	-	-	1% 1%	-	1% 1%	1% 1%
SKIPPED ON WEB	3	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1% 1%	1% 1%	1% 1%	-	1% 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REFUSED	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	* 1%	* 1%	* 1%	-	* 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	364	364	364	32	333	-	-	-	-	-	-	-	165	195	165	30	82	48	60	77
	100%	100%	100%	100%	100%	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 4

MDG3: Approximately how long ago did the... occur?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Less Than 12 Months Ago (NET)	278 37%T	174 38%	137 37%	8 25%	129 39%	37 41%	48 36%	20 36%	29 35%	56 34%	32 31%	15 46%	67 41%	67 34%	57 35%	10 33%	74 34%	33 32%	62 37%	-
Less than 6 months ago (0.5)	172 23%T	106 23%	83 23%	4 12%	79 24%	23 26%	34 25%	12 23%	22 27%	31 19%	21 20%	8 25%	45 27%	35 18%	32 19%	4 12%	47 22%	18 18%	42 25%	-
6-12 months ago (0.75)	106 14%T	68 15%	54 15%	4 12%	50 15%	14 15%	14 10%	7 13%	7 8%	24 15%	11 10%	7 21%	22 13%	32 16%	26 15%	6 21%	26 12%	15 14%	20 12%	-
1 Year Or More (NET)	470 62%	280 62%	227 62%	24 75%	203 61%	53 59%	83 61%	34 64%	49 60%	108 65%	74 69%	16 49%	98 59%	128 66%	108 65%	20 67%	141 65%	69 67%	108 63%	156 100%A
1 year ago (1)	128 17%CT	65 14%	50 14%	3 9%	47 14%	16 17%	29 21%	12 22%	17 20%	34 20%	21 20%	5 14%	26 16%	23 12%	23 14%	* *	45 21%	23 22%	34 20%	14 9%
2 years ago (2)	182 24%G	133 29%AG	109 30%A	9 28%	100 30%A	24 27%	17 12%	4 8%	13 15%	32 20%	20 19%	8 24%	46 28%	63 32%A	46 28%	17 56%	42 20%	18 18%	34 20%	64 41%A
3 years ago (3)	161 21%BE	81 18%	68 19%E	12 38%	56 17%	13 15%	37 28%	18 33%	20 24%	42 25%	33 31%CE	4 11%	26 16%	41 21%	38 23%	3 11%	54 25%	27 27%	40 24%	78 50%A
DON'T KNOW	* *	- -	- -	- -	- -	- -	- -	- -	- -	* *	- -	* 1%	- -	- -	- -	- -	- -	- -	- -	- -
SKIPPED ON WEB	5 1%	- -	- -	- -	- -	- -	4 3%AB	- -	4 5%ACE	1 1%	- -	1 3%	- -	- -	- -	- -	1 *	1 1%	- -	- -
REFUSED	1 *	1 *	1 *	- -	1 *	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	1.52	1.50	1.52E	1.95	1.48	1.39	1.54	1.59	1.50	1.58	1.67	1.29	1.42	1.62	1.61	1.66	1.56	1.60	1.52	2.41A
STD. DEV.	0.95	0.91	0.92	0.99	0.90	0.88	1.03	1.07	1.00	0.98	1.01	0.85	0.90	0.92	0.95	0.78	0.98	0.99	0.98	0.65

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Table 4

MDG3: Approximately how long ago did the... occur?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
STD. ERROR	0.05	0.06	0.06	0.20	0.06	0.14	0.12	0.20	0.15	0.10	0.14	0.17	0.08	0.08	0.09	0.18	0.10	0.14	0.11	0.07
MEDIAN	0.94	0.95	0.98	1.58	0.95	0.88	0.90	0.90	0.90	0.94	0.99	0.78	0.90	1.11	1.04	1.30	0.94	0.95	0.92	2.00

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 5

MDG4: Approximately, how long was the most intense part of your grieving for the...?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Less Than 12 Months Ago (NET)	505	322	249	10	238	73	78	32	47	105	69	23	120	126	111	15	130	57	101	-
	67%T	71%AG	68%	32%	72%AC	81%AI	58%	59%	57%	64%	65%	69%	73%	65%	67%	50%	60%	56%	59%	-
Less than 6 months	366	235	175	5	170	60	55	17	38	76	48	22	88	85	79	6	86	39	66	-
	48%QT	52%	48%	15%	51%C	66%ACK	40%	31%	47%	46%	45%	65%	53%	44%	48%	21%	40%	38%	39%	-
6-12 months	139	87	73	5	68	14	24	15	9	29	21	1	32	41	33	8	44	18	35	-
	18%T	19%	20%	17%	20%	15%	17%	28%	11%	17%	20%	4%	20%	21%	20%	28%	20%	18%	20%	-
More than 1 year	101	50	44	12	32	7	17	6	11	33	21	2	17	27	17	9	38	22	31	73
	13%E	11%	12%E	38%	10%	7%	13%	11%	14%	20%AB	20%E	5%	10%	14%	11%	31%	18%	22%	18%	47%A
I am still intensely grieving You are still intensely grieving	134	77	66	10	57	11	33	15	18	24	16	6	26	40	34	5	44	23	36	83
	18%	17%	18%	30%	17%	12%	24%	29%	22%	15%	15%	19%	16%	20%	21%	18%	20%	22%	21%	53%A
DON'T KNOW	4	-	-	-	-	-	2	-	2	2	-	2	-	-	-	-	1	-	1	-
	1%	-	-	-	-	-	1%	-	2%CE	1%	-	7%	-	-	-	-	*	-	*	-
SKIPPED ON WEB	9	4	4	-	4	-	4	-	4	1	-	-	2	2	2	*	2	-	2	-
	1%	1%	1%	-	1%	-	3%	-	5%A	*	-	-	1%	1%	1%	1%	1%	-	1%	-
REFUSED	2	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	*	*	*	-	*	-	1%	1%	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	755	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 6

MDG5: Which of the following physical symptoms did you experience while grieving this loss?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd /non- vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Fatigue	303 40%	179 39%	152 42%	17 52%	135 41%	27 30%	61 45%	23 43%	37 46%	63 38%	42 39%	11 34%	62 38%	89 46%	75 45%	14 48%	122 56%A	62 61%A	98 58%A	86 55%A
Change of appetite	245 32%	146 32%	119 33%	12 39%	106 32%	27 30%	46 34%	15 28%	31 38%	53 32%	38 36%	9 28%	45 27%	73 37%	61 37%	12 39%	116 54%A	58 56%A	97 57%A	64 41%A
Headaches	202 27%FM	112 25%	103 28%F	14 44%	89 27%F	9 10%	50 37%AB	22 40%	29 35%F	40 24%	23 21%	4 13%	32 19%	71 37%AM	58 35%A	13 43%	91 42%A	48 47%A	75 44%A	50 32%
Aches and pain	171 23%	91 20%	80 22%	7 21%	73 22%	11 13%	46 34%ABJ	21 39%	25 31%F	34 20%	19 18%	8 25%	30 18%	50 25%	43 26%	6 21%	85 40%A	49 48%A	69 40%A	45 29%
Stomachaches	130 17%	67 15%	54 15%	6 17%	48 14%	13 14%	25 18%	6 12%	18 23%	38 23%	29 27%ACE	1 4%	22 13%	32 17%	25 15%	7 23%	60 28%A	33 33%A	44 25%A	43 27%A
Heart palpitations	92 12%	57 12%	41 11%	7 23%	34 10%	16 17%	17 12%	4 7%	13 16%	18 11%	15 14%	* 1%	18 11%	23 12%	15 9%	7 25%	48 22%A	32 31%A	43 25%A	23 15%
New diagnosis or worsening heart disease, cancer or high blood pressure	37 5%	18 4%	16 4%	2 6%	14 4%	2 2%	15 11%ABJ	10 18%	5 6%	4 2%	3 2%	- -	5 3%	11 6%	10 6%	* 1%	21 10%A	15 15%A	15 9%	12 8%
Other	66 9%	46 10%	38 10%	3 10%	35 10%	9 10%	8 6%	3 6%	4 5%	12 7%	9 8%	2 6%	14 9%	24 12%	15 9%	8 27%	21 10%	15 15%	15 9%	21 13%
None of the above	242 32%GQR ST	158 35%G	122 34%	7 23%	115 35%	35 39%	28 21%	8 15%	20 25%	56 34%	36 34%	15 44%	65 39%	55 28%	49 30%	6 20%	25 12%	5 5%	20 12%	36 23%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	8 1%	6 1%	6 2%	-	6 2%	1 1%	2 2%	1 1%	1 2%	-	-	-	1 1%	5 2%	5 3%	-	2 1%	-	2 1%	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Table 6

MDG5: Which of the following physical symptoms did you experience while grieving this loss?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	1497	881	732	75	657	150	298	113	185	318	213	52	293	432	358	73	591	318	478	379
	198%	194%	201%	236%	197%	165%	220%	211%	226%	193%	201%	155%	178%	222%	217%	248%	274%	311%	280%	243%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 7

MDG6: Which of the following mental symptoms did you experience while grieving this loss?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Sadness	571 76%GJ	379 83%AGJ	305 84%AJK	24 74%	282 85%AJK	73 81%	90 66%	35 66%	54 66%	103 62%	72 68%	18 52%	134 81%	171 88%A	147 89%A	24 81%	163 76%	81 79%	130 76%	131 84%A
Depression	328 43%M	189 42%	148 41%	16 52%	131 39%	42 46%	52 39%	22 42%	30 37%	86 52%	56 53%	14 41%	51 31%	96 49%M	80 48%	16 56%	156 72%A	86 84%A	124 73%A	92 59%A
Inability to sleep/ significant sleep disturbances	251 33%	139 31%	122 33%	10 30%	112 34%	18 20%	63 47%ABJ	31 58%	32 39%	48 29%	30 28%	11 34%	49 30%	72 37%	56 34%	16 53%	112 52%A	56 54%A	94 55%A	84 54%A
Anger	249 33%BCE M	130 29%	104 29%	12 39%	92 28%	26 29%	45 34%	21 40%	24 29%	73 44%AB	50 48%ACE	12 37%	32 19%	72 37%M	51 31%	21 72%	126 58%A	65 63%A	103 60%A	77 49%A
Anxiety, including PTSD	177 23%BF	88 19%	85 23%F	10 31%	75 23%F	3 4%	41 30%	20 37%	21 25%F	48 29%B	28 26%F	9 28%	30 18%	54 28%	39 24%	15 51%	93 43%A	54 52%A	70 41%A	60 39%A
Suicidal thoughts or behaviors	57 7%BEM	23 5%	22 6%E	6 18%	16 5%	2 2%	11 8%	6 12%	5 6%	22 13%AB	11 11%	6 17%	3 2%	19 10%M	9 5%	10 34%	49 23%A	38 37%AS	36 21%A	25 16%A
Other	14 2%	8 2%	7 2%	* *	6 2%	1 1%	1 1%	* 1%	1 1%	5 3%	1 1%	5 14%	4 2%	3 1%	2 1%	1 3%	3 1%	2 2%	2 1%	3 2%
None of the above	92 12%BCEN OT	40 9%	33 9%	5 17%	27 8%	7 8%	26 19%B	9 17%	17 21%CE	26 16%	16 15%	6 19%	23 14%N	7 4%	6 4%	1 4%	22 10%	6 6%	16 9%	7 5%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	4 1%	2 *	2 1%	-	2 1%	-	2 1%	* 1%	1 2%	-	-	-	* *	2 1%	2 1%	-	* *	-	* *	* *
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Table 7

MDG6: Which of the following mental symptoms did you experience while grieving this loss?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- cipatd lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	1744	1000	829	83	745	172	331	147	185	412	265	81	325	496	391	104	725	387	575	481
	231%	220%	227%	260%	224%	190%	245%	273%	226%	250%	250%	242%	197%	255%	237%	353%	336%	378%	337%	309%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 8

MDG7: Which of the following did you experience as a result of your loss?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrc, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust-with-drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Intense sorrow, pain and thoughts about the loss	253 34%GJ	187 41%AGJ	155 42%AJK	17 53%	138 41%AI	32 35%	30 22%	13 24%	17 21%	37 22%	29 27%	3 9%	60 36%	94 48%A	75 45%A	19 64%	99 46%A	55 53%A	82 48%A	71 46%A
Problems accepting the loss	173 23%	124 27%AGJ	114 31%AFI	5 17%	108 33%AFI K	11 12%	22 16%	12 21%	10 12%	27 16%	20 19%	1 4%	43 26%	70 36%A	61 37%A	8 28%	69 32%A	43 42%A	55 32%A	50 32%A
Guilt or self-blame	171 23%BCE M	81 18%	62 17%	8 26%	53 16%	19 21%	28 21%	10 19%	18 22%	62 38%ABG	39 36%ACE	10 31%	16 10%	46 24%M	38 23%	8 27%	82 38%A	52 51%A	63 37%A	54 35%A
Lack of trust in others, isolating from others and withdrawal from social activities	171 23%BCE M	71 16%	60 17%E	12 38%	48 14%	11 12%	31 23%	12 22%	19 23%	69 42%ABG	56 53%ACE FI	9 27%	18 11%	41 21%M	31 19%	10 34%	171 79%A	57 56%A	171 100%AR	41 26%
Numbness or detachment	170 23%M	100 22%	82 22%	8 26%	73 22%	19 20%	29 22%	17 32%	12 15%	41 25%	27 25%	5 16%	26 16%	55 28%M	45 27%	11 36%	82 38%A	51 50%A	69 40%A	49 31%A
Trouble carrying out normal routines	152 20%	89 20%	81 22%	8 26%	72 22%	8 9%	35 26%	14 27%	20 25%	28 17%	18 17%	2 6%	36 22%	44 22%	35 21%	8 27%	81 38%A	50 49%A	67 39%A	40 25%
Bitterness about your loss	140 19%BM	67 15%	57 16%	5 15%	52 16%	10 11%	16 11%	6 12%	9 11%	57 35%ABG	43 41%ACE FI	7 20%	16 10%	40 21%M	29 17%	11 38%	74 34%A	37 36%A	65 38%A	48 31%A
Excessive avoidance of reminders of the loss	117 16%GIM	76 17%G	60 16%	7 20%	53 16%	16 18%	9 7%	5 10%	4 5%	31 19%G	21 19%I	7 21%	16 10%	43 22%AM	38 23%A	5 17%	63 29%A	39 38%A	52 30%A	43 28%A

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 8

MDG7: Which of the following did you experience as a result of your loss?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd /non- vio- lent	Unanti cipatd /vio- lent	Life changd worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Feeling your life holds no meaning or purpose	102	57	48	10	38	9	18	8	10	28	16	7	10	37	26	11	102	102	57	27
	14%M	12%	13%E	31%	11%	10%	13%	14%	13%	17%	15%	22%	6%	19%AM	16%	37%	47%A	100%AS	34%A	18%
Intense and persistent longing or pining for the deceased	85	70	62	5	56	8	3	1	2	12	11	-	26	35	28	6	38	25	31	29
	11%GI	15%AGJ	17%AI	17%	17%AI	9%	2%	2%	2%	7%	10%	-	16%	18%A	17%A	22%	17%A	25%A	18%A	19%A
Other	60	38	32	-	32	6	12	5	7	9	5	4	19	11	9	2	3	1	3	10
	8%QRS	8%	9%	-	10%	7%	9%	9%	9%	6%	5%	12%	11%	6%	5%	8%	2%	1%	2%	6%
DON'T KNOW	4	4	4	-	4	*	-	-	-	-	-	-	3	1	1	-	-	-	-	-
	1%	1%	1%	-	1%	*	-	-	-	-	-	-	2%A	*	1%	-	-	-	-	-
SKIPPED ON WEB	98	62	53	*	52	9	16	6	10	20	9	8	33	19	19	*	-	-	-	4
	13%QRS	14%	14%	1%	16%	10%	12%	11%	13%	12%	8%	23%	20%AN	10%	11%	1%	-	-	-	3%
REFUSED	3	3	2	-	2	1	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	*	1%	*	-	1%	1%	-	-	-	-	-	-	*	-	-	-	-	-	-	-
SIGMA	1700	1029	870	86	784	159	249	110	139	422	293	64	324	537	436	100	864	513	714	467
	225%	226%	239%	271%	236%	176%	184%	204%	170%	256%	277%	191%	196%	276%	264%	339%	400%	501%	418%	300%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 9

MDG8: What coping strategies did you use to help you through this loss?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds mean-ing	Lack of trust-with-drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Spent more time with friends/family	336 44%G	222 49%AG	193 53%AFI	20 63%	173 52%AFI	28 31%	45 33%	19 35%	26 32%	69 42%	51 48%	10 31%	87 52%A	107 55%A	89 54%A	18 59%	94 43%	43 42%	80 47%	72 47%
Listened/played music	294 39%B	160 35%	135 37%	11 36%	124 37%	25 27%	67 50%AB	27 50%	40 49%F	68 41%	51 48%F	8 24%	62 38%	72 37%	60 37%	11 39%	108 50%A	59 57%A	85 50%A	68 43%
Focused on work	243 32%	143 31%	109 30%	9 28%	100 30%	34 37%	31 23%	10 19%	21 25%	70 42%AG	54 51%ACE	9 26% I	52 31%	57 29%	46 28%	12 40%	90 42%A	46 44%	75 44%A	43 27%
Sought out faith/spiritual practices	181 24%F	120 26%	112 31%AF	9 29%	102 31%AF	8 9%	25 18%	6 12%	18 22%	37 22%	22 21%	8 25%	53 32%A	58 30%	51 31%	7 24%	62 29%	25 24%	49 29%	52 33%A
Read books/listened to podcasts	152 20%BF	75 16%	67 18%	11 35%	56 17%	7 8%	36 27%B	9 16%	27 34%ACE	42 25%	26 24%F	6 18%	28 17%	39 20%	29 18%	9 31%	72 34%A	39 38%A	57 33%A	33 21%
Increased exercise	143 19%BEF	63 14%	57 16%	10 31%	47 14%	6 6%	35 25%B	7 14%	27 33%ACE	45 27%AB	30 29%CEF	8 24%	30 18%	27 14%	21 13%	6 20%	47 22%	22 21%	43 25%	37 24%
Spent time on creative expression - writing, art, etc.	125 17%	71 16%	55 15%	8 26%	47 14%	16 18%	21 16%	5 9%	17 20%	33 20%	15 14%	10 31%	21 13%	34 17%	31 19%	3 10%	48 22%	29 29%A	41 24%	33 21%
Traveled	91 12%B	42 9%	37 10%	6 19%	31 9%	5 5%	20 15%	6 11%	15 18%	28 17%B	21 20%EF	2 6%	18 11%	19 10%	17 10%	2 7%	31 14%	15 14%	28 16%	35 22%A
Attended professional counseling sessions	47 6%	23 5%	23 6%	5 15%	18 5%	1 1%	15 11%	7 13%	8 10%	9 6%	8 8%	* 1%	7 4%	15 8%	12 7%	4 13%	27 12%A	15 15%A	19 11%	14 9%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 9

MDG8: What coping strategies did you use to help you through this loss?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partntr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Attended in-person or online support groups/discussion & forums	35 5%M	21 5%	20 5%	3 10%	17 5%	2 2%	7 5%	6 11%	1 1%	7 4%	5 4%	-	2 1%	18 9%AM	13 8%	5 16%	24 11%A	17 16%A	16 10%A	10 6%
Other	57 8%	40 9%	32 9%	2 6%	31 9%	7 8%	6 5%	2 4%	4 5%	11 7%	5 5%	5 16%	12 7%	21 11%	16 9%	5 18%	21 10%	15 14%	17 10%	16 10%
I didn't adopt any coping strategies	103 14%QT	66 14%	47 13%	3 9%	44 13%	19 21%	20 15%	9 16%	11 14%	18 11%	9 8%	6 19%	23 14%	21 11%	18 11%	3 11%	16 8%	8 8%	12 7%	11 7%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	11 1%	5 1%	5 1%	-	5 1%	-	4 3%	-	4 5%	3 2%	1 1%	2 5%	2 1%	2 1%	2 1%	-	-	-	-	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1822 241%	1051 231%	893 245%	98 306%	796 239%	158 175%	332 245%	112 209%	219 268%	439 266%	298 281%	76 227%	397 241%	490 252%	405 245%	85 288%	640 297%	333 325%	522 306%	424 272%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 10

MDG9: Which of the following negative behaviors did you engage in as a result of the...?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds no mean-ing	Lack of trust-with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Isolation	179 24%	94 21%	82 22%E	13 42%	68 20%	13 14%	40 30%	20 38%	20 25%	45 27%	22 21%	13 40%	30 18%	51 26%	40 24%	11 37%	111 51%A	54 53%A	91 53%A	50 32%A
Overeating	147 19%BCE M	64 14%	51 14%	7 22%	44 13%	13 15%	42 31%AB	19 35%	23 28%CE	40 24%B	23 22%	10 29%	20 12%	31 16%	24 15%	6 21%	63 29%A	38 37%A	51 30%A	36 23%
Excessive alcohol consumption	101 13%	53 12%	48 13%	2 8%	46 14%	5 5%	19 14%	9 17%	10 13%	29 17%	23 22%F	4 12%	20 12%	29 15%	27 16%	2 6%	50 23%A	32 32%A	39 23%A	23 15%
Excessive spending	89 12%	48 11%	44 12%	4 14%	39 12%	4 5%	18 13%	9 17%	9 11%	23 14%	12 11%	4 13%	18 11%	25 13%	20 12%	5 17%	51 24%A	26 26%A	43 25%A	19 13%
Undereating	87 11%	51 11%	48 13%E	9 29%	39 12%	3 4%	19 14%	12 23%	7 8%	16 10%	13 12%	2 6%	17 10%	31 16%	22 14%	8 28%	52 24%A	29 28%A	46 27%A	37 24%A
Recreational drugs	48 6%M	23 5%	23 6%	2 7%	21 6%	-	12 9%	8 15%	4 5%	13 8%	7 7%	5 15%	4 2%	19 10%M	16 9%	4 12%	32 15%A	22 21%A	23 14%A	25 16%A
Inappropriate sex	42 6%	22 5%	18 5%	4 13%	14 4%	4 4%	5 4%	2 4%	3 4%	15 9%	8 8%	4 11%	5 3%	13 7%	9 6%	4 12%	29 13%A	16 16%A	27 16%A	16 10%A
Other	13 2%	6 1%	6 2%	-	6 2%	1 1%	3 2%	* *	3 4%	4 2%	1 1%	3 8%	1 1%	5 3%	1 1%	4 13%	5 2%	3 3%	2 1%	3 2%
None of the above	373 49%GQR ST	254 56%AG	195 53%	13 42%	181 55%A	59 66%AI	44 33%	11 21%	33 40%	74 45%	51 48%	16 48%	95 57%A	98 50%	85 52%	12 42%	51 24%	20 19%	40 24%	60 39%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	14 2%	5 1%	5 1%	-	5 2%	-	8 6%AB	4 7%	4 5%	1 1%	-	1 3%	3 2%	3 1%	3 2%	-	1 *	1 1%	1 *	* *
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

MDG9: Which of the following negative behaviors did you engage in as a result of the...?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	1093	624	521	56	465	102	211	94	117	258	161	62	212	304	248	56	445	240	364	270
	145%	137%	143%	175%	140%	113%	156%	175%	143%	157%	152%	185%	128%	156%	150%	188%	206%	235%	213%	173%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 11

MDG10: As a result of your loss, did a doctor or professional counselor prescribe medications for any of the following conditions?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	57	31	30	6	24	1	13	6	7	13	10	1	11	18	14	4	29	19	20	15
Base: Attended counseling	47**	23**	23**	5**	18**	1**	15**	7**	8**	9**	8**	***	7**	15**	12**	4**	27**	15**	19**	14**
Depression	18 39%	7 29%	6 27%	2 42%	4 23%	1 100%	6 43%	5 75%	1 16%	5 54%	4 53%	* 100%	1 15%	4 29%	2 16%	3 67%	14 52%	10 68%	10 52%	11 79%
Anxiety	15 31%	7 29%	7 30%	3 68%	4 20%	- -	6 39%	4 65%	1 16%	2 25%	2 20%	* 100%	1 15%	5 33%	1 11%	4 100%	10 39%	8 50%	6 34%	8 56%
Sleep disorder/ problem	7 15%	6 27%	6 28%	2 46%	4 23%	- -	1 4%	1 8%	- -	- -	- -	- -	1 17%	5 29%	2 17%	3 67%	4 16%	3 17%	4 20%	4 28%
Other	1 2%	1 5%	1 5%	* 9%	1 4%	- -	- -	- -	- -	- -	- -	- -	- -	1 8%	1 6%	* 11%	* 2%	* 3%	* 2%	1 8%
I was not prescribed any medication as a result of my loss	26 55%	14 60%	14 61%	1 28%	13 70%	- -	8 53%	1 17%	7 84%	4 46%	4 47%	- -	5 73%	9 59%	9 78%	- -	12 45%	4 29%	9 47%	3 20%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	67 142%	35 150%	34 152%	9 193%	25 141%	1 100%	20 139%	11 165%	9 116%	12 125%	10 120%	1 200%	8 120%	24 158%	15 129%	9 246%	41 154%	25 166%	29 155%	27 191%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 12

MDG11: Were you actively receiving professional care for any of the following prior to the...?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Depression	107	64	42	8	34	21	16	11	5	28	14	4	10	32	27	5	59	34	47	28
	14%EM	14%	12%E	26%	10%	24%CEI	12%	20%	6%	17%	13%	12%	6%	17%M	17%	16%	27%A	33%A	28%A	18%
Anxiety	98	46	45	6	39	1	22	14	7	30	19	3	12	33	27	6	53	28	39	29
	13%B	10%	12%F	20%	12%F	1%	16%	27%	9%	18%B	18%F	8%	7%	17%M	17%	19%	24%A	28%A	23%A	19%
Anger	35	17	17	7	10	-	14	7	7	4	2	1	4	12	10	2	28	18	15	9
	5%	4%	5%E	21%	3%	-	11%ABJ	14%	8%	2%	1%	3%	3%	6%	6%	8%	13%A	18%A	9%	6%
Suicidal thoughts or attempts	20	6	6	2	4	-	6	5	1	9	4	1	1	5	3	2	16	13	10	13
	3%B	1%	2%	5%	1%	-	4%	10%	1%	5%B	4%	4%	1%	2%	2%	7%	7%A	13%A	6%	8%A
Drugs	18	13	13	5	7	*	1	-	1	4	1	*	4	9	7	2	14	8	11	3
	2%	3%	3%E	17%	2%	*	1%	-	1%	3%	1%	1%	2%	4%	4%	7%	6%A	8%A	6%A	2%
Alcoholism	17	6	6	2	3	*	5	4	1	7	5	*	2	4	2	2	6	4	5	4
	2%E	1%	2%E	8%	1%	*	3%	7%	1%	4%	4%	1%	1%	2%	1%	7%	3%	4%	3%	3%
Other	16	11	7	1	7	4	*	*	-	5	1	3	3	4	2	2	4	2	2	3
	2%	2%	2%	3%	2%	4%	*	1%	-	3%	1%	8%	2%	2%	1%	6%	2%	2%	1%	2%
I did not receive care for any mental or chronic physical conditions prior to my loss	555	350	285	15	270	65	93	33	60	112	80	23	137	145	123	22	127	54	104	104
	73%QRS	77%A	78%A	46%	81%AC	72%	69%	61%	74%	68%	76%	68%	83%A	74%	75%	73%	59%	53%	61%	67%
DON'T KNOW	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	1
	*	-	-	-	-	-	*	1%	-	-	-	-	-	-	-	-	*	-	*	*
SKIPPED ON WEB	13	6	6	*	6	-	6	1	5	1	-	1	3	4	4	*	2	*	2	3
	2%	1%	2%	1%	2%	-	4%	2%	6%	1%	-	3%	2%	2%	2%	*	1%	*	1%	2%
REFUSED	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	*	*	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Table 12

MDG11: Were you actively receiving professional care for any of the following prior to the...?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	882	520	429	47	382	92	163	76	87	198	125	36	176	248	206	42	309	162	236	196
	117%	114%	118%	147%	115%	101%	120%	142%	106%	120%	117%	108%	107%	127%	125%	142%	143%	159%	138%	126%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 13

MDG12A: Please indicate whether these made/would make you feel better or worse.

Tried to cheer me up

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	438 41%	186 41%	149 41%	11 33%	138 41%	37 41%	51 38%	23 43%	28 35%	73 45%	52 49%	12 36%	78 47%	71 36%	63 38%	8 26%	74 34%	32 31%	62 36%	62 40%
Neither Better nor Worse	295 28%	131 29%	110 30%	11 34%	99 30%	22 24%	44 32%	16 31%	27 34%	45 27%	28 26%	8 25%	37 22%	73 38%AM	60 37%A	13 43%	81 38%A	43 42%A	63 37%A	58 37%A
Worse	57 5%	29 6%	22 6%E	8 25%	14 4%	7 7%	5 4%	4 8%	1 1%	10 6%	7 6%	2 5%	8 5%	14 7%	12 8%	2 5%	23 11%A	9 9%	19 11%A	10 7%
Not applicable	257 24%OST	104 23%	80 22%	3 8%	77 23%	25 27%	33 25%	10 19%	23 28%	36 22%	20 19%	11 33%	43 26%	35 18%	27 16%	7 25%	37 17%	18 17%	26 15%	25 16%
DON'T KNOW	6 1%	-	-	-	-	-	1 1%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	11 1%	3 1%	3 1%	-	3 1%	-	1 *	-	1 1%	* *	-	* 1%	* *	2 1%	2 1%	-	1 *	1 *	1 *	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 14

MDG12B: Please indicate whether these made/would make you feel better or worse.

Told me I needed to move on and/or seek closure

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	102 10%	42 9%	30 8%	3 9%	27 8%	12 14%	7 5%	3 6%	3 4%	21 13%	18 17%I	3 10%	17 11%	13 7%	12 8%	* 1%	27 12%	13 12%	23 13%	17 11%
Neither Better nor Worse	234 22%	86 19%	72 20%	10 30%	63 19%	14 16%	32 23%	12 23%	19 24%	50 30%AB	27 25%	11 34%	28 17%	44 23%	39 24%	5 18%	67 31%A	30 29%	55 32%A	37 24%
Worse	258 24%BE	86 19%	74 20%	11 33%	64 19%	11 13%	31 23%	10 19%	21 25%	46 28%	36 34%CEF	5 15%	31 19%	42 22%	30 18%	12 42%	68 31%	30 29%	58 34%A	49 31%
Not applicable	447 42%JKQS	237 52%AJ	184 51%AK	9 28%	175 53%ACK	53 58%AK	62 46%J	26 48%	36 45%K	45 27%	24 22%	13 40%	88 53%A	94 48%	82 50%	12 39%	51 24%	29 29%	32 19%	53 34%
DON'T KNOW	7 1%	-	-	-	-	-	1 1%	-	1 2%	1 *	-	1 2%	-	-	-	-	-	-	-	-
SKIPPED ON WEB	17 2%B	2 *	2 1%	-	2 1%	-	3 2%	2 4%	1 1%	2 1%	2 2%	-	* *	2 1%	2 1%	-	3 1%	1 1%	3 2%	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 15

MDG12C: Please indicate whether these made/would make you feel better or worse.

Shared their own experience with loss

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	418 39%	199 44%A	154 42%	16 52%	138 41%	45 50%	48 35%	24 44%	24 30%	64 39%	49 46%	9 26%	84 51%AN	70 36%	58 35%	11 39%	93 43%	50 49%	74 43%	62 40%
Neither Better nor Worse	292 27%M	125 27%	102 28%	5 15%	97 29%	23 26%	34 25%	8 15%	26 32%	53 32%	33 31%	9 27%	33 20%	69 35%AM	59 36%A	10 32%	57 26%	23 22%	47 28%	52 33%
Worse	61 6%	28 6%	22 6%E	7 23%	15 4%	6 7%	6 4%	2 3%	4 5%	3 2%	2 1%	* 1%	5 3%	16 8%	13 8%	3 10%	21 10%	11 11%	15 9%	9 6%
Not applicable	274 26%B	99 22%	83 23%	3 10%	80 24%	16 17%	44 33%	19 35%	26 31%	44 27%	23 22%	15 46%	43 26%	38 20%	32 20%	6 19%	43 20%	18 17%	32 19%	31 20%
DON'T KNOW	8 1%	-	-	-	-	-	3 2%B	2 3%	1 2%	-	-	-	-	-	-	-	2 1%	-	2 1%	2 1%
SKIPPED ON WEB	10 1%	2 *	2 1%	-	2 1%	-	1 *	-	1 1%	* *	* *	-	* *	2 1%	2 1%	-	1 *	1 *	1 *	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 16

MDG12D: Please indicate whether these made/would make you feel better or worse.

Said "it could be worse"

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	99 9%CEN	31 7%	21 6%	3 9%	18 6%	10 11%	13 10%	8 14%	5 6%	21 13%	13 12%	5 16%	13 8%	8 4%	8 5%	* 1%	32 15%A	16 16%	28 16%A	14 9%
Neither Better nor Worse	220 21%	80 18%	62 17%	4 12%	59 18%	17 19%	26 19%	12 22%	15 18%	49 30%AB	30 28%	8 23%	27 16%	36 18%	34 20%	2 7%	49 23%	23 22%	39 23%	35 22%
Worse	283 27%B	102 22%	85 23%	12 36%	73 22%	17 18%	40 29%	11 20%	29 36%	41 25%	32 30%	4 13%	36 22%	48 25%	35 21%	13 45%	73 34%	28 27%	58 34%	48 31%
Not applicable	445 42%JKQ S	239 52%AJ	192 53%AK	14 42%	179 54%AIK	47 52%K	53 39%	23 44%	30 37%	52 31%	30 28%	16 48%	89 54%A	100 52%A	87 53%A	14 46%	61 28%	35 34%	44 26%	57 37%
DON'T KNOW	7 1%	-	-	-	-	-	1 1%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	11 1%	2 *	2 1%	-	2 1%	-	2 1%	-	2 2%	1 1%	1 1%	-	* *	2 1%	2 1%	-	1 *	1 *	1 *	3 2%
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 17

MDG12E: Please indicate whether these made/would make you feel better or worse.

Told me what to do/unsolicited advice (e.g., get out more, eat more, exercise, etc.)

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	117 11%	42 9%	39 11%	4 13%	35 10%	3 4%	23 17%	13 24%	10 13%	22 14%	10 9%	4 13%	17 10%	22 11%	19 11%	3 10%	22 10%	8 8%	19 11%	25 16%
Neither Better nor Worse	281 26%	113 25%	85 23%	9 27%	76 23%	28 31%	29 22%	13 24%	16 20%	48 29%	30 28%	8 25%	37 22%	48 25%	47 29%	1 3%	63 29%	33 33%	47 27%	44 28%
Worse	205 19%BCE M	63 14%	53 14%	9 28%	44 13%	10 11%	33 24%B	11 21%	22 27%E	37 22%B	31 29%CEF	4 11%	21 13%	31 16%	21 13%	10 35%	69 32%A	31 30%	57 33%A	34 22%
Not applicable	440 41%QS	233 51%AGJ	184 51%AK	10 32%	174 52%AK	49 54%K	47 35%	16 31%	31 37%	57 35%	35 33%	17 51%	91 55%A	91 47%	76 46%	15 51%	62 29%	30 29%	48 28%	53 34%
DON'T KNOW	11 1%	-	-	-	-	-	1 1%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	10 1%	2 1%	2 1%	-	2 1%	-	2 1%	-	2 2%	* *	* *	-	* *	2 1%	2 1%	-	1 *	1 *	1 *	-
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 18

MDG12F: Please indicate whether these made/would make you feel better or worse.

Posted about my loss on their social media

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	92 9%	56 12%A	46 13%A	5 16%	41 12%A	10 11%	12 9%	8 15%	4 5%	11 7%	4 4%	2 5%	19 11%	27 14%A	27 16%A	1 2%	22 10%	10 10%	20 12%	15 9%
Neither Better nor Worse	172 16%	70 15%	65 18%F	4 14%	61 18%F	5 6%	15 11%	7 12%	8 10%	24 15%	15 14%	4 12%	28 17%	37 19%	34 21%	3 9%	29 13%	12 12%	23 13%	31 20%
Worse	200 19%BCE MNO	52 11%	44 12%E	10 32%	34 10%	7 8%	27 20%	6 11%	21 26%CEF	25 15%	22 20%E	2 6%	19 12%	24 12%	16 9%	9 29%	41 19%	20 20%	33 19%	20 13%
Not applicable	580 54%	271 60%A	203 56%	12 38%	191 57%	68 75%ACE	79 58%	33 62%	45 55%	104 63%	65 62%	26 77%	99 60%	102 52%	84 51%	18 60%	122 57%	58 56%	94 55%	89 57%
DON'T KNOW	7 1%	-	-	-	-	-	1 1%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	13 1%	5 1%	5 1%	-	5 1%	-	2 1%	-	2 2%	* *	* *	-	* *	5 2%	5 3%	-	2 1%	2 2%	1 *	1 *
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 19

MDG12G: Please indicate whether these made/would make you feel better or worse.

Responded with routine comments such as "thoughts and prayers", "better days ahead", "this will make you a stronger person"

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing		Lack of trust/ with- drawal
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Better	271	133	122	9	113	11	39	22	16	28	15	5	61	58	51	8	42	18	28	42
	25%JFK	29%J	33%AFK	27%	34%AFK	12%	28%	42%	20%	17%	14%	15%	37%A	30%	31%	26%	19%	18%	17%	27%
Neither Better nor Worse	344	135	113	11	102	22	35	14	22	69	47	14	49	63	55	8	80	25	72	46
	32%	30%	31%	34%	31%	24%	26%	25%	27%	42%ABG	45%AF	42%	30%	32%	33%	28%	37%	25%	42%AR	30%
Worse	108	45	38	5	32	7	15	7	8	27	21	2	18	19	15	4	40	22	32	29
	10%	10%	10%	17%	10%	8%	11%	12%	10%	16%A	19%AE	7%	11%	10%	9%	14%	19%A	22%A	19%A	19%A
Not applicable	319	139	89	7	81	50	44	11	33	40	22	12	36	52	43	9	53	36	38	38
	30%CEM	31%	24%	23%	24%	56%ACE	32%	21%	40%CEK	24%	21%	37%	22%	27%	26%	32%	25%	35%S	22%	24%
DON'T KNOW	12	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	1	1	-	-
	1%	-	-	-	-	-	1%	-	2%	*	1%	-	-	-	-	-	*	1%	-	-
SKIPPED ON WEB	10	2	2	-	2	-	2	-	2	*	*	-	*	2	2	-	1	1	1	-
	1%	1%	1%	-	1%	-	1%	-	2%	*	*	-	*	1%	1%	-	*	*	*	-
REFUSED	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	*	*	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1066	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 20

MDG12: Please indicate whether these made/would make you feel better or worse.

'Better' Summary Table

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Tried to cheer me up	438 41%	186 41%	149 41%	11 33%	138 41%	37 41%	51 38%	23 43%	28 35%	73 45%	52 49%	12 36%	78 47%	71 36%	63 38%	8 26%	74 34%	32 31%	62 36%	62 40%
Shared their own experience with loss	418 39%	199 44%A	154 42%	16 52%	138 41%	45 50%	48 35%	24 44%	24 30%	64 39%	49 46%	9 26%	84 51%AN	70 36%	58 35%	11 39%	93 43%	50 49%	74 43%	62 40%
Responded with routine comments such as "thoughts and prayers", "better days ahead", "this will make you a stronger person"	271 25%JFK	133 29%J	122 33%AFK	9 27%	113 34%AFK	11 12%	39 28%	22 42%	16 20%	28 17%	15 14%	5 15%	61 37%A	58 30%	51 31%	8 26%	42 19%	18 18%	28 17%	42 27%
Told me what to do/unsolicited advice (e.g., get out more, eat more, exercise, etc.)	117 11%	42 9%	39 11%	4 13%	35 10%	3 4%	23 17%	13 24%	10 13%	22 14%	10 9%	4 13%	17 10%	22 11%	19 11%	3 10%	22 10%	8 8%	19 11%	25 16%
Told me I needed to move on and/or seek closure	102 10%	42 9%	30 8%	3 9%	27 8%	12 14%	7 5%	3 6%	3 4%	21 13%	18 17%I	3 10%	17 11%	13 7%	12 8%	* 1%	27 12%	13 12%	23 13%	17 11%
Said "it could be worse"	99 9%CEN	31 7%	21 6%	3 9%	18 6%	10 11%	13 10%	8 14%	5 6%	21 13%	13 12%	5 16%	13 8%	8 4%	8 5%	* 1%	32 15%A	16 16%	28 16%A	14 9%
Posted about my loss on their social media	92 9%	56 12%A	46 13%A	5 16%	41 12%A	10 11%	12 9%	8 15%	4 5%	11 7%	4 4%	2 5%	19 11%	27 14%A	27 16%A	1 2%	22 10%	10 10%	20 12%	15 9%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 21

MDG12: Please indicate whether these made/would make you feel better or worse.

'Worse' Summary Table

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1071	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1066	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Said "it could be worse"	283 27%B	102 22%	85 23%	12 36%	73 22%	17 18%	40 29%	11 20%	29 36%	41 25%	32 30%	4 13%	36 22%	48 25%	35 21%	13 45%	73 34%	28 27%	58 34%	48 31%
Told me I needed to move on and/or seek closure	258 24%BE	86 19%	74 20%	11 33%	64 19%	11 13%	31 23%	10 19%	21 25%	46 28%	36 34%CEF	5 15%	31 19%	42 22%	30 18%	12 42%	68 31%	30 29%	58 34%A	49 31%
Told me what to do/unsolicited advice (e.g., get out more, eat more, exercise, etc.)	205 19%BCE M	63 14%	53 14%	9 28%	44 13%	10 11%	33 24%B	11 21%	22 27%E	37 22%B	31 29%CEF	4 11%	21 13%	31 16%	21 13%	10 35%	69 32%A	31 30%	57 33%A	34 22%
Posted about my loss on their social media	200 19%BCE MNO	52 11%	44 12%E	10 32%	34 10%	7 8%	27 20%	6 11%	21 26%CEF	25 15%	22 20%E	2 6%	19 12%	24 12%	16 9%	9 29%	41 19%	20 20%	33 19%	20 13%
Responded with routine comments such as "thoughts and prayers", "better days ahead", "this will make you a stronger person"	108 10%	45 10%	38 10%	5 17%	32 10%	7 8%	15 11%	7 12%	8 10%	27 16%A	21 19%AE	2 7%	18 11%	19 10%	15 9%	4 14%	40 19%A	22 22%A	32 19%A	29 19%A
Shared their own experience with loss	61 6%	28 6%	22 6%E	7 23%	15 4%	6 7%	6 4%	2 3%	4 5%	3 2%	2 1%	* 1%	5 3%	16 8%	13 8%	3 10%	21 10%	11 11%	15 9%	9 6%
Tried to cheer me up	57 5%	29 6%	22 6%E	8 25%	14 4%	7 7%	5 4%	4 8%	1 1%	10 6%	7 6%	2 5%	8 5%	14 7%	12 8%	2 5%	23 11%A	9 9%	19 11%A	10 7%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 22

MDG13: On average, how quickly did you feel people expected you get over your grief about the...?

	-----																				
	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/career	Job/career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust-with-drawal	COMPLI-CATED GRIEF (1+yrs)	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)		
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154	
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*	
Within One To Three Months (NET)	232	132	90	10	80	43	28	7	21	72	48	20	45	44	40	4	76	31	71	35	
	31%GCE	29%	25%	30%	24%	47%ACE	21%	13%	25%	44%ABG	45%ACE	60%	27%	23%	24%	15%	35%	30%	41%A	22%	
Within one month (1)	133	77	50	7	43	27	10	5	5	45	28	17	20	30	26	4	51	17	50	19	
	18%GCE	17%	14%	23%	13%	29%ACE	8%	9%	7%	28%ABG	26%CEI	50%	12%	15%	15%	14%	24%	17%	29%AR	12%	
Within 2 to 3 months (2.5)	99	55	39	2	37	16	18	2	15	26	20	3	25	14	14	*	25	14	21	16	
	13%N	12%	11%	7%	11%	18%	13%	4%	19%	16%	19%	10%	15%	7%	8%	1%	12%	13%	12%	10%	
Within 4 to 6 months (5)	72	45	40	4	36	5	12	10	3	15	6	1	18	22	18	4	13	10	7	8	
	10%S	10%	11%	11%	11%	6%	9%	18%	3%	9%	6%	4%	11%	11%	11%	13%	6%	10%	4%	5%	
Within 7 to 12 months (9.5)	52	30	27	6	21	4	13	9	4	8	5	1	14	12	8	4	25	12	16	16	
	7%	7%	7%E	19%	6%	4%	10%	17%	5%	5%	4%	2%	9%	6%	5%	14%	11%	11%	9%	10%	
One Year Or More (NET)	31	15	14	2	11	1	9	5	3	7	4	2	7	7	6	1	5	1	4	10	
	4%	3%	4%	8%	3%	1%	6%	10%	4%	4%	3%	5%	4%	4%	3%	5%	2%	1%	2%	7%	
Within 1 to 2 years (18)	22	10	9	2	7	1	7	5	2	4	3	1	4	5	5	-	3	1	2	6	
	3%	2%	2%	6%	2%	1%	5%	9%	3%	2%	3%	2%	2%	3%	3%	-	2%	1%	1%	4%	
After 2 years or more (24)	9	5	5	1	4	-	1	*	1	3	*	1	3	2	1	1	2	*	2	4	
	1%	1%	1%	2%	1%	-	1%	*	1%	2%	*	3%	2%	1%	*	5%	1%	*	1%	3%	
I don't think there were any expectations for when I should get over my grief	356	229	192	10	182	37	67	21	46	60	42	10	82	108	92	16	93	47	70	84	
	47%J	50%J	53%A	32%	55%AK	41%	49%	39%	57%	37%	40%	29%	50%	55%A	56%A	54%	43%	46%	41%	54%	
DON'T KNOW	4	1	1	-	1	*	2	2	-	1	-	-	-	1	1	-	2	-	2	2	
	1%	*	*	-	*	*	1%	3%	-	1%	-	-	-	*	1%	-	1%	-	1%	1%	
SKIPPED ON WEB	8	2	2	-	2	1	4	-	4	1	1	-	-	*	*	-	1	1	1	-	
	1%	1%	*	-	1%	1%	3%	-	5%ACE	1%	1%	-	-	*	*	-	1%	1%	1%	-	

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 22

MDG13: On average, how quickly did you feel people expected you get over your grief about the...?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
REFUSED	*	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	-	*	*
	*	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	-	*	*
SIGMA	755	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
MEAN	4.75	4.63	5.18	6.29	5.01	2.86	6.49AJ	7.71	5.26	3.97	3.53	3.19	5.32	5.07	4.71	6.99	4.31	4.42	3.78	6.71A
STD. DEV.	5.26	5.05	5.37	6.06	5.26	3.32	5.87	5.66	5.91	5.12	4.44	5.53	5.45	5.33	4.97	6.84	4.67	3.96	4.64	6.78
STD. ERROR	0.25	0.31	0.35	1.25	0.36	0.52	0.70	1.06	0.91	0.53	0.59	1.12	0.51	0.48	0.49	1.61	0.46	0.58	0.52	0.70
MEDIAN	1.91	1.93	2.32	3.34	2.26	0.99	3.11	4.69	1.97	1.32	1.26	0.72	2.31	2.37	2.12	4.09	1.49	2.10	0.98	2.48

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 23

MDG14: What currently triggers you to grieve your loss?

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship) (NET)	Friend ship/ Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti cipatd vio-lent	Unanti /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust-with-drawal		
																			(A)	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
A picture or video of who/ what was lost	298 39%G	212 47%AGJ	167 46%AI	17 52%	150 45%AI	45 50%I	35 26%	13 24%	23 28%	51 31%	41 39%	4 12%	66 40%	100 51%A	81 49%A	19 64%	104 48%A	51 50%	89 52%A	69 44%
A mention of who/ what was lost	265 35%	168 37%	141 39%	12 37%	129 39%	27 30%	40 30%	14 26%	27 32%	56 34%	43 41%	7 21%	49 30%	90 46%AM	69 42%	21 71%	99 46%A	51 50%A	79 46%A	67 43%
Anniversary of loss or specific dates associated with who/what was lost	235 31%F	165 36%AGJ	158 43%AFI	17 52%	141 43%AFI	7 8%	30 22%	13 24%	17 21%	40 24%	31 30%F	1 4%	70 42%A	88 45%A	71 43%A	16 55%	88 41%A	51 50%A	70 41%A	73 47%A
A song/music	197 26%F	108 24%	97 27%F	9 27%	88 27%F	11 12%	36 27%	17 32%	19 24%	52 32%	39 36%F	4 12%	37 23%	59 30%	47 29%	11 39%	84 39%A	44 43%A	74 43%A	59 38%A
Something on TV/ social media/ online	140 18%	85 19%	73 20%	8 26%	65 20%	11 12%	24 18%	14 27%	9 11%	31 19%	27 25%	2 5%	21 13%	52 27%AM	42 25%	10 35%	72 33%A	40 39%A	57 33%A	42 27%A
A specific scent	72 10%	47 10%	44 12%	8 26%	36 11%	2 3%	10 7%	5 9%	5 6%	16 9%	15 14%	1 3%	15 9%	30 15%A	25 15%A	5 15%	46 21%A	22 21%A	41 24%A	19 12%
Other	34 4%	26 6%	23 6%A	1 5%	22 7%A	3 3%	3 2%	* 1%	3 4%	4 3%	3 3%	1 3%	13 8%	11 5%	8 5%	2 7%	6 3%	4 4%	6 4%	10 7%
None of the above	231 31%BCE NOS	110 24%	84 23%	4 14%	80 24%	26 28%	58 43%AB	28 52%	30 37%	63 38%B	34 32%	20 61%	49 29%N	33 17%	30 18%	4 12%	52 24%	20 19%	34 20%	40 25%
DON'T KNOW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKIPPED ON WEB	9 1%	4 1%	4 1%	-	4 1%	-	4 3%	-	4 5%A	-	-	-	* *	3 1%	3 2%	-	* *	* *	* *	* *
REFUSED	1 *	1 *	1 *	-	1 *	-	-	-	-	-	-	-	-	1 *	1 1%	-	-	-	-	1 1%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 23

MDG14: What currently triggers you to grieve your loss?

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	1480	926	793	76	716	133	241	104	137	313	233	41	321	465	377	88	551	282	449	379
	196%	204%	218%	240%	215%	147%	178%	193%	168%	190%	220%	121%	194%	239%	228%	299%	255%	276%	263%	244%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 24

MDG15A: Overall, how has each of the following changed as a result of the...?

Relationships

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship)	Friend ship career	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	256 34%F	145 32%	136 37%F	14 44%	122 37%F	10 11%	54 40%	25 47%	29 36%F	56 34%	38 36%F	9 26%	60 36%	76 39%	61 37%	15 49%	76 35%	30 29%	62 36%	55 35%
Neutral	420 56%NQS	271 60%AJ	191 52%	13 40%	179 54%	80 88%ACE IK	71 53%	25 46%	47 57%	77 47%	47 45%	17 52%	98 59%	91 47%	81 49%	10 34%	92 43%	48 47%	69 40%	81 52%
Weaker	70 9%BFM	33 7%	32 9%	5 16%	27 8%	1 1%	8 6%	4 7%	4 5%	29 18%ABG	19 18%AEF	7 22%	6 4%	25 13%M	20 12%	5 17%	46 21%A	24 23%A	38 22%A	19 12%
DON'T KNOW	4 1%	3 1%	3 1%	- -	3 1%	- -	1 1%	- -	1 2%	- -	- -	- -	1 *	1 *	1 1%	- -	1 *	- -	1 *	1 1%
SKIPPED ON WEB	5 1%	3 1%	2 1%	- -	2 1%	* *	1 *	- -	1 1%	2 1%	2 2%	- -	* *	2 1%	2 1%	- -	1 *	1 1%	1 1%	* *
REFUSED	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 25

MDG15B: Overall, how has each of the following changed as a result of the...?

Faith

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- home) (NET)	Friend ship rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	238 31%F	154 34%	143 39%AF	12 37%	131 39%AF	11 12%	41 30%	14 26%	27 33%F	43 26%	28 26%	9 27%	68 41%A	75 38%	62 38%	12 42%	67 31%	23 22%	57 33%	60 39%
Neutral	422 56%CEN OQST	252 55%	173 48%	14 43%	160 48%	78 87%ACE IK	79 58%	31 57%	48 59%	92 56%	56 53%	18 53%	83 50%	88 45%	75 46%	12 42%	93 43%	46 45%	68 40%	71 46%
Weaker	80 11%F	42 9%	41 11%F	6 20%	35 11%F	1 1%	10 7%	7 13%	3 4%	28 17%AB	20 19%AFI	6 19%	12 7%	30 15%	25 15%	5 17%	52 24%A	31 30%A	43 25%A	21 13%
DON'T KNOW	5 1%	1 *	1 *	-	1 *	-	3 2%	2 3%	1 2%	* *	-	* 1%	-	-	-	-	2 1%	* *	2 1%	2 1%
SKIPPED ON WEB	10 1%	6 1%	5 1%	-	5 2%	* *	2 2%	-	2 3%	2 1%	2 2%	-	2 1%	3 2%	3 2%	-	2 1%	2 2%	1 1%	2 1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 26

MDG15C: Overall, how has each of the following changed as a result of the...?

Purpose

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship)	Job/ career	Friend ship	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	208	108	101	7	94	7	43	16	27	57	29	18	49	52	43	9	56	16	47	40
	28%BFR	24%	28%F	22%	28%F	7%	32%	29%	34%F	35%B	28%F	55%	29%	27%	26%	31%	26%	15%	27%R	25%
Neutral	475	314	231	17	214	83	81	31	50	80	59	9	108	120	101	19	121	62	95	96
	63%J	69%AJ	63%	52%	64%	92%ACE	60%	58%	62%	48%	56%	26%	65%	62%	61%	63%	56%	61%	55%	62%
						IK														
Weaker	61	27	27	8	19	*	9	6	2	25	15	6	7	20	18	2	38	24	28	18
	8%BF	6%	7%E	25%	6%	*	6%	12%	3%	15%AB	14%EF	18%	4%	10%	11%	6%	17%A	23%A	17%A	12%
DON'T KNOW	4	2	2	*	1	-	2	1	1	-	-	-	*	*	*	-	1	-	1	1
	*	*	*	1%	*	-	1%	1%	2%	-	-	-	*	*	*	-	*	-	*	*
SKIPPED ON WEB	8	4	4	-	4	*	1	-	1	3	3	-	2	2	2	-	1	1	1	1
	1%	1%	1%	-	1%	*	*	-	1%	2%	3%	-	1%	1%	1%	-	*	*	*	1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	755	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 27

MDG15D: Overall, how has each of the following changed as a result of the...?

Career

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- home) (NET)	Friend ship (NET)	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	89 12% M	31 BCE 7%	29 8%	4 13%	25 7%	2 2%	7 5%	3 6%	4 5%	51 31% ABG	29 27% ACE	16 47%	6 4%	23 12% M	22 13%	1 3%	42 19% A	15 14%	38 22% A	17 11%
Neutral	571 76% JKQ RS	381 84% AJ	294 81% AK	21 66%	273 82% AK	87 96% ACE IK	100 74% J	34 63%	67 81% K	89 54%	64 61%	6 19%	146 88% AN	145 74%	124 75%	21 71%	126 58%	55 54%	101 59%	116 74%
Weaker	79 10% BF	33 7%	31 9%	6 19%	25 8%	1 1%	24 18% AB	15 28%	9 11%	22 13%	11 10%	11 32%	10 6%	22 11%	14 9%	8 26%	44 21% A	31 30% AS	28 16%	19 12%
DON'T KNOW	11 1%	7 2%	7 2%	* 1%	7 2%	- -	3 2%	2 4%	1 2%	* *	- -	* 1%	3 2%	3 2%	3 2%	- -	3 1%	* *	3 2%	4 2%
SKIPPED ON WEB	6 1%	3 1%	3 1%	* 1%	2 1%	* *	1 1%	- -	1 1%	2 1%	2 2%	- -	1 *	2 1%	2 1%	- -	1 *	1 1%	1 1%	1 1%
REFUSED	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 28

MDG15E: Overall, how has each of the following changed as a result of the...?

Finances

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	117 16%I	62 14%	56 15%	8 27%	48 14%	6 6%	13 9%	9 16%	4 5%	43 26%ABG	30 29%ACE	5 15%	22 13%	34 18%	32 19%	2 8%	42 19%	15 14%	35 20%	22 14%
Neutral	503 67%GJQS	343 75%AGJ	260 71%A	12 37%	249 75%AC	83 91%ACE IK	72 53%	19 35%	54 66%	87 53%	68 64%	10 29%	123 74%A	134 69%	114 69%	21 71%	117 54%	60 58%	91 53%	102 65%
Weaker	113 15%BCEFM	32 7%	31 9%E	12 36%	20 6%	1 1%	48 35%ABJ	26 48%	22 26%ACE FK	33 20%B	7 7%	19 56%	10 6%	21 11%	15 9%	6 21%	56 26%A	28 27%A	44 26%A	32 21%
DON'T KNOW	9 1%	7 2%	7 2%	- -	7 2%	- -	1 1%	- -	1 2%	- -	- -	- -	4 2%	2 1%	2 1%	- -	1 *	- -	1 *	- -
SKIPPED ON WEB	14 2%	11 2%	9 3%	- -	9 3%	2 2%	2 1%	- -	2 2%	1 1%	1 1%	- -	7 4%	3 1%	3 2%	- -	1 *	1 *	1 *	- -
REFUSED	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 29

MDG15F: Overall, how has each of the following changed as a result of the...?

Empathy for others

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrc, rela- tion- home) (NET)	Friend ship rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	373 49%	233 51%	201 55%AF	16 50%	185 56%AF	32 36%	71 53%	27 50%	44 54%	68 41%	49 46%	13 39%	95 58%A	105 54%	91 55%	15 49%	108 50%	49 48%	85 50%	76 49%
Neutral	331 44%CEM	197 43%	140 38%	12 39%	128 38%	57 63%ACE I	56 42%	25 47%	31 38%	78 48%	47 44%	19 57%	58 35%	80 41%	65 40%	14 49%	88 41%	43 42%	69 40%	68 44%
Weaker	39 5%	17 4%	17 5%	4 11%	13 4%	- -	5 3%	2 3%	3 4%	17 10%AB	9 9%	1 4%	7 4%	9 5%	9 5%	* 2%	19 9%	9 9%	16 10%	11 7%
DON'T KNOW	6 1%	5 1%	5 1%	- -	5 1%	- -	1 1%	- -	1 2%	- -	- -	- -	3 2%	- -	- -	- -	- -	- -	- -	- -
SKIPPED ON WEB	6 1%	3 1%	2 *	- -	2 1%	2 2%	2 1%	- -	2 2%	1 1%	1 1%	- -	2 1%	- -	- -	- -	1 *	1 *	1 *	- -
REFUSED	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
SIGMA	755 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 30

MDG15G: Overall, how has each of the following changed as a result of the...?

Appreciation of life

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship)	Friend Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)	
																				(A)
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Stronger	452	296	248	21	228	48	85	33	52	71	45	18	115	130	115	15	106	39	90	80
	60%JKQ	65%AJ	68%AK	64%	68%AK	53%	63%J	62%	63%K	43%	43%	55%	70%A	67%	70%A	50%	49%	38%	53%	52%
Neutral	248	135	97	8	89	38	40	15	25	73	51	10	41	55	41	14	84	42	61	64
	33%CEM	30%	27%	24%	27%	42%C	30%	28%	31%	44%AB	48%ACE	29%	25%	28%	25%	48%	39%	41%	35%	41%
Weaker	44	17	15	4	11	3	7	5	2	19	9	5	6	9	8	1	26	20	20	11
	6%BE	4%	4%	12%	3%	3%	5%	10%	2%	12%AB	8%	16%	3%	5%	5%	2%	12%A	20%A	12%A	7%
DON'T KNOW	6	5	5	-	5	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-
	1%	1%	1%	-	1%	-	1%	-	2%	-	-	-	2%	-	-	-	-	-	-	-
SKIPPED ON WEB	4	2	-	-	-	2	2	-	2	1	1	-	-	-	-	-	1	1	1	-
	1%	*	-	-	-	2%	1%	-	2%C	1%	1%	-	-	-	-	-	*	*	*	-
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	755	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 31

MDG15: Overall, how has each of the following changed as a result of the...?

'Stronger' Summary Table

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/ Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds mean-ing	Lack of trust/with-drawal		
																			(A)	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Appreciation of life	452	296	248	21	228	48	85	33	52	71	45	18	115	130	115	15	106	39	90	80
	60%JKQ	65%AJ	68%AK	64%	68%AK	53%	63%J	62%	63%K	43%	43%	55%	70%A	67%	70%A	50%	49%	38%	53%	52%
Empathy for others	373	233	201	16	185	32	71	27	44	68	49	13	95	105	91	15	108	49	85	76
	49%	51%	55%AF	50%	56%AF	36%	53%	50%	54%	41%	46%	39%	58%A	54%	55%	49%	50%	48%	50%	49%
Relationships	256	145	136	14	122	10	54	25	29	56	38	9	60	76	61	15	76	30	62	55
	34%F	32%	37%F	44%	37%F	11%	40%	47%	36%F	34%	36%F	26%	36%	39%	37%	49%	35%	29%	36%	35%
Faith	238	154	143	12	131	11	41	14	27	43	28	9	68	75	62	12	67	23	57	60
	31%F	34%	39%AF	37%	39%AF	12%	30%	26%	33%F	26%	26%	27%	41%A	38%	38%	42%	31%	22%	33%	39%
Purpose	208	108	101	7	94	7	43	16	27	57	29	18	49	52	43	9	56	16	47	40
	28%BFR	24%	28%F	22%	28%F	7%	32%	29%	34%F	35%B	28%F	55%	29%	27%	26%	31%	26%	15%	27%R	25%
Finances	117	62	56	8	48	6	13	9	4	43	30	5	22	34	32	2	42	15	35	22
	16%I	14%	15%	27%	14%	6%	9%	16%	5%	26%ABG	29%ACE	15%	13%	18%	19%	8%	19%	14%	20%	14%
Career	89	31	29	4	25	2	7	3	4	51	29	16	6	23	22	1	42	15	38	17
	12%BCEF	7%	8%	13%	7%	2%	5%	6%	5%	31%ABG	27%ACE	47%	4%	12%M	13%	3%	19%A	14%	22%A	11%
	M																			

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 32

MDG15: Overall, how has each of the following changed as a result of the...?

'Weaker' Summary Table

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	780	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Recent hardship	755	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Finances	113	32	31	12	20	1	48	26	22	33	7	19	10	21	15	6	56	28	44	32
	15%BCEFM	7%	9%E	36%	6%	1%	35%ABJ	48%	26%ACEFK	20%B	7%	56%	6%	11%	9%	21%	26%A	27%A	26%A	21%
Faith	80	42	41	6	35	1	10	7	3	28	20	6	12	30	25	5	52	31	43	21
	11%F	9%	11%F	20%	11%F	1%	7%	13%	4%	17%AB	19%AFI	19%	7%	15%	15%	17%	24%A	30%A	25%A	13%
Career	79	33	31	6	25	1	24	15	9	22	11	11	10	22	14	8	44	31	28	19
	10%BF	7%	9%	19%	8%	1%	18%AB	28%	11%	13%	10%	32%	6%	11%	9%	26%	21%A	30%AS	16%	12%
Relationships	70	33	32	5	27	1	8	4	4	29	19	7	6	25	20	5	46	24	38	19
	9%BFM	7%	9%	16%	8%	1%	6%	7%	5%	18%ABG	18%AEF	22%	4%	13%M	12%	17%	21%A	23%A	22%A	12%
Purpose	61	27	27	8	19	*	9	6	2	25	15	6	7	20	18	2	38	24	28	18
	8%BF	6%	7%E	25%	6%	*	6%	12%	3%	15%AB	14%EF	18%	4%	10%	11%	6%	17%A	23%A	17%A	12%
Appreciation of life	44	17	15	4	11	3	7	5	2	19	9	5	6	9	8	1	26	20	20	11
	6%BE	4%	4%	12%	3%	3%	5%	10%	2%	12%AB	8%	16%	3%	5%	5%	2%	12%A	20%A	12%A	7%
Empathy for others	39	17	17	4	13	-	5	2	3	17	9	1	7	9	9	*	19	9	16	11
	5%	4%	5%	11%	4%	-	3%	3%	4%	10%AB	9%	4%	4%	5%	5%	2%	9%	9%	10%	7%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 33

Survey Interview Language

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
English	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
Spanish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 34

Survey interview mode (online or phone)

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing		Lack of trust/ with- drawal
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Phone interview	113 10%	55 12%	49 14%AK	7 21%	43 13%	5 6%	9 7%	6 12%	3 3%	10 6%	4 4%	4 13%	20 12%	27 14%	26 16%	1 4%	23 10%	7 6%	21 12%	18 12%
Web Interview	971 90%C	400 88%	315 86%	25 79%	290 87%	85 94%	126 93%	47 88%	79 97%	155 94%	102 96%C	29 87%	145 88%	167 86%	139 84%	28 96%	193 90%	96 94%	150 88%	138 88%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 35

DEVICE: Device

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Desktop	339	142	121	8	114	20	45	18	27	45	32	9	67	52	42	10	47	25	31	40
	31%QS	31%	33%	24%	34%	22%	34%	34%	33%	27%	30%	27%	40%AN	27%	26%	34%	22%	24%	18%	25%
Phone interview (not online)	113	55	49	7	43	5	9	6	3	10	4	4	20	27	26	1	23	7	21	18
	10%	12%	14%AK	21%	13%	6%	7%	12%	3%	6%	4%	13%	12%	14%	16%	4%	10%	6%	12%	12%
Smartphone	589	235	176	15	161	59	74	27	47	109	69	20	69	107	90	17	146	71	119	94
	54%CEM	52%	48%	48%	48%	65%CE	55%	50%	57%	66%AB	65%CE	60%	42%	55%M	54%	58%	68%A	69%A	69%A	60%
Tablet	44	23	17	2	15	6	7	2	5	1	1	-	9	8	7	1	1	*	*	4
	4%JQS	5%	5%	7%	5%	6%	5%	4%	6%	1%	1%	-	6%	4%	4%	4%	*	*	*	3%
SIGMA	1084	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 36

GENDER: Gender

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Male	523	205	155	15	140	51	78	39	39	75	51	14	76	78	65	13	92	48	66	66
	48% O	45%	42%	45%	42%	56%	57%	72%	48%	45%	48%	43%	46%	40%	39%	43%	43%	47%	38%	42%
Female	561	249	210	17	192	40	58	15	43	90	55	19	89	117	100	17	123	54	105	90
	52%	55%	58%A	55%	58%A	44%	43%	28%	52%	55%	52%	57%	54%	60%A	61%A	57%	57%	53%	62%	58%
SIGMA	1084	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 37

AGE4 - 4 Categories

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
18-29	225	75	58	9	49	17	31	11	20	33	26	5	17	41	34	7	68	44	50	26
	21% M	17% BCE	16%	28%	15%	19%	23%	20%	24%	20%	24%	14%	10%	21% M	21%	24%	31% A	43% A	30% A	17%
30-44	264	105	85	5	80	20	39	14	25	55	31	11	36	49	44	5	62	24	56	41
	24%	23%	23%	17%	24%	22%	29%	27%	30%	33% A	29%	33%	22%	25%	27%	17%	29%	24%	33%	26%
45-59	279	123	86	4	82	38	29	9	20	53	37	12	39	42	31	11	57	19	46	45
	26%	27%	24%	13%	25%	42% ACE	22%	18%	24%	32%	35%	35%	24%	22%	19%	37%	27%	19%	27%	29%
60+	315	151	136	13	122	15	37	19	17	25	12	6	73	62	56	7	29	15	18	44
	29% RS	14% JKQ	13% AFI	42% K	37% AFK	17%	27%	36%	21%	15%	11%	19%	44% A	32%	34%	22%	13%	15%	11%	28%
SIGMA	1084	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
MEAN	47.81 KQRS	49.62 J	50.54 IK	49.96	50.60 IK	45.91	45.91	48.60	44.14	44.00	43.39	44.40	53.86 N	47.56	47.88	45.80	41.06	38.79	40.60	48.07
STD. DEV.	18.00	17.52	17.67	20.87	17.37	16.44	17.99	19.21	17.03	15.15	14.41	15.17	17.20	17.77	18.05	16.35	15.71	16.58	15.11	16.47
STD. ERROR	0.74	1.06	1.15	4.30	1.19	2.58	2.14	3.61	2.61	1.56	1.92	3.09	1.60	1.61	1.78	3.86	1.56	2.41	1.70	1.71
MEDIAN	47.53	51.62	53.45	56.65	53.46	47.37	44.68	50.02	44.20	42.89	43.09	47.23	58.58	46.84	46.64	49.38	41.16	36.35	40.37	49.94

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 38

AGE7 - 7 Categories

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
18-24	126 12%M	48 11%	33 9%	* 1%	33 10%	15 17%	18 13%	6 11%	12 15%	15 9%	9 9%	4 12%	10 6%	24 12%	20 12%	4 13%	42 19%A	30 30%AS	29 17%	14 9%
25-34	207 19%BE	68 15%	60 16%E	14 44%	46 14%	9 10%	29 21%	14 26%	15 19%	40 24%B	27 25%E	8 23%	24 15%	35 18%	29 18%	6 22%	45 21%	20 19%	39 23%	34 22%
35-44	157 14%	64 14%	50 14%	- -	50 15%	14 15%	23 17%	5 10%	17 21%	32 20%	20 19%	4 12%	19 11%	32 16%	30 18%	2 6%	43 20%	18 18%	38 22%A	19 12%
45-54	172 16%C	68 15%	44 12%	2 5%	42 13%	24 26%CE	18 13%	3 5%	15 19%	37 22%	25 23%C	10 29%	17 10%	26 14%	19 12%	7 24%	36 17%	8 8%	32 19%R	22 14%
55-64	196 18%	109 24%A	90 25%AI	4 13%	86 26%AI	19 21%	21 15%	13 24%	8 9%	26 16%	18 17%	4 13%	46 28%A	40 20%	32 20%	7 25%	32 15%	18 18%	18 11%	38 24%
65-74	139 13%JKQS	61 13%J	55 15%K	7 23%	48 14%K	6 7%	18 13%	6 11%	12 14%	8 5%	5 4%	4 11%	30 18%	25 13%	22 13%	3 10%	11 5%	5 5%	8 5%	22 14%
75+	88 8%Q	37 8%	33 9%	5 15%	28 8%	4 4%	10 7%	7 13%	3 3%	6 3%	3 3%	- -	19 12%	13 7%	13 8%	- -	7 3%	2 2%	7 4%	6 4%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	47.81J KQRS	49.62A J	50.54A IK	49.96	50.60A IK	45.91	45.91	48.60	44.14	44.00	43.39	44.40	53.86A N	47.56	47.88	45.80	41.06	38.79	40.60	48.07
STD. DEV.	18.00	17.52	17.67	20.87	17.37	16.44	17.99	19.21	17.03	15.15	14.41	15.17	17.20	17.77	18.05	16.35	15.71	16.58	15.11	16.47
STD. ERROR	0.74	1.06	1.15	4.30	1.19	2.58	2.14	3.61	2.61	1.56	1.92	3.09	1.60	1.61	1.78	3.86	1.56	2.41	1.70	1.71
MEDIAN	47.53	51.62	53.45	56.65	53.46	47.37	44.68	50.02	44.20	42.89	43.09	47.23	58.58	46.84	46.64	49.38	41.16	36.35	40.37	49.94

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 39

RACETHNICITY: Combined Race/Ethnicity

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship)	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life no mean- ing	Lack of trust/ with- drawal		
																			(A)	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
White, non-Hispanic	684 63%JQS	311 68%A	240 66%	13 41%	227 68%C	71 79%AK	90 67%	41 76%	49 60%	89 54%	61 58%	19 58%	115 70%	120 62%	100 60%	21 70%	116 54%	64 63%	85 50%	87 56%
Black, non-Hispanic	129 12%	55 12%	48 13%	8 24%	40 12%	7 8%	17 12%	5 9%	12 15%	20 12%	9 8%	2 6%	17 10%	31 16%	30 18%A	1 4%	28 13%	10 10%	24 14%	17 11%
Other, non-Hispanic	12 1%	7 2%	6 2%	- -	6 2%	2 2%	1 1%	- -	1 2%	3 2%	2 2%	* 1%	3 2%	3 2%	3 2%	- -	3 2%	2 2%	2 1%	2 1%
Hispanic	179 16%B	60 13%	51 14%	8 24%	44 13%	9 10%	15 11%	4 8%	11 14%	39 23%B	24 23%	8 23%	22 13%	28 15%	22 13%	6 22%	45 21%	16 15%	42 25%A	36 23%
2+, non-Hispanic	40 4%	12 3%	12 3%	3 10%	9 3%	- -	6 4%	1 1%	5 6%	5 3%	3 3%	2 5%	5 3%	8 4%	7 4%	1 3%	11 5%	4 4%	8 4%	10 7%
Asian, non-Hispanic	40 4%B	10 2%	8 2%	* 2%	7 2%	2 2%	6 4%	3 6%	3 3%	10 6%	7 7%	2 7%	3 2%	5 2%	5 3%	- -	12 5%	6 6%	9 6%	4 3%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 40

EDUC: Education (Highest Degree Received)

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Fam-ily member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/ rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd /non-violent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds mean-ing	Lack of trust/with-drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
HS Grad or less (NET)	421	170	128	16	112	41	49	30	20	63	42	9	55	69	60	8	93	41	76	66
	39%I	37%	35%	51%	34%	46%I	36%	55%	24%	38%	39%	27%	33%	35%	37%	28%	43%	40%	44%	43%
No formal education	1*	-	-	-	-	-	-	-	-	1*	-	1%	-	-	-	-	-	-	-	-
1st, 2nd, 3rd, or 4th grade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5th or 6th grade	4*	1*	1*	-	1*	-	-	-	-	-	-	-	*%	1*	1%	-	1%	1%	1%	*%
7th or 8th grade	16	6	1	-	1	5	1	1	-	3	1	-	1	-	-	-	-	-	-	3
	1%C	1%	*%	-	*%	5%CE	1%	1%	-	2%	1%	-	1%	-	-	-	-	-	-	2%
9th grade	9	3	3	1	3	-	-	-	-	6	6	-	2	1	1	-	2	2	1	5
	1%	1%	1%	2%	1%	-	-	-	-	3%A	5%ACE	-	1%	1%	1%	-	1%	2%	*%	3%A
10th grade	19	9	9	-	9	-	3	3	-	-	-	-	4	5	5	-	2	-	2	2
	2%	2%	3%	-	3%	-	3%	6%	-	-	-	-	2%	3%	3%	-	1%	-	1%	1%
11th grade	16	2	1	-	1	1	2	2	-	2	1	1	-	1	1	-	3	-	3	3
	2%BC	1%	*%	-	*%	1%	1%	3%	-	1%	1%	4%	-	1%	1%	-	1%	-	2%	2%
12th grade NO DIPLOMA	47	18	18	2	17	-	3	-	3	7	5	1	12	6	6	-	12	4	10	1
	4%	4%	5%	5%	5%	-	2%	-	4%	5%	5%	2%	7%	3%	4%	-	6%	4%	6%	1%
HIGH SCHOOL GRADUATE - high school DIPLOMA or the equivalent (GED)	308	130	94	14	80	36	40	24	17	44	28	6	35	54	46	8	73	34	59	53
	28%	28%	26%	45%	24%	39%E	30%	44%	20%	27%	26%	19%	21%	28%	28%	28%	34%	33%	35%	34%
Some college or more (NET)	663	285	236	16	221	49	86	24	62	102	65	24	110	126	105	21	123	62	95	90
	61%	63%	65%	49%	66%	54%	64%	45%	76%AF	62%	61%	73%	67%	65%	63%	72%	57%	60%	56%	57%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 40

EDUC: Education (Highest Degree Received)

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Some college, no degree	205 19%	106 23%A	88 24%A	10 31%	78 23%A	18 20%	21 16%	10 18%	11 14%	25 15%	15 14%	3 10%	35 21%	53 27%A	39 23%	14 48%	40 19%	22 21%	31 18%	32 21%
Associate degree	95 9%	42 9%	35 10%	2 8%	33 10%	7 8%	6 5%	2 3%	4 5%	17 10%	12 12%	3 9%	14 8%	21 11%	20 12%	1 3%	17 8%	10 10%	12 7%	14 9%
Bachelors degree	226 21%	89 19%	79 22%	3 11%	76 23%	10 11%	35 26%	5 10%	30 36%ACF	38 23%	23 22%	12 36%	40 24%	39 20%	34 20%	5 17%	43 20%	18 17%	36 21%	31 20%
Masters degree	93 9%N	34 8%	24 6%	- -	24 7%	11 12%	17 12%	7 13%	10 12%	12 7%	8 7%	3 8%	16 10%	7 4%	6 4%	1 4%	14 7%	8 8%	9 5%	8 5%
Professional or Doctorate degree	43 4%	14 3%	11 3%	- -	11 3%	3 4%	7 5%	- -	7 8%	10 6%	6 6%	3 10%	5 3%	6 3%	6 3%	- -	9 4%	4 4%	7 4%	4 3%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 41

EDUC4: 4-level education

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds no mean-ing	Lack of trust-with-drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
HS Grad or Less (NET)	421 39%I	170 37%	128 35%	16 51%	112 34%	41 46%I	49 36%	30 55%	20 24%	63 38%	42 39%	9 27%	55 33%	69 35%	60 37%	8 28%	93 43%	41 40%	76 44%	66 43%
No HS diploma	113 10%	40 9%	34 9%	2 7%	32 10%	6 6%	9 7%	6 11%	3 4%	19 11%	14 13%	3 8%	20 12%	14 7%	14 9%	- -	20 9%	6 6%	16 9%	13 9%
HS graduate or equivalent	308 28%	130 28%	94 26%	14 45%	80 24%	36 39%E	40 30%	24 44%	17 20%	44 27%	28 26%	6 19%	35 21%	54 28%	46 28%	8 28%	73 34%	34 33%	59 35%	53 34%
Some College or More (NET)	663 61%	285 63%	236 65%	16 49%	221 66%	49 54%	86 64%	24 45%	62 76%AF	102 62%	65 61%	24 73%	110 67%	126 65%	105 63%	21 72%	123 57%	62 60%	95 56%	90 57%
Some college	300 28%	148 33%AG	123 34%A	12 38%	111 33%A	26 28%	27 20%	12 22%	16 19%	42 26%	27 26%	6 19%	49 29%	74 38%A	59 36%A	15 51%	57 26%	32 31%	44 26%	46 29%
BA or above	363 33%	137 30%	113 31%	3 11%	110 33%C	24 26%	59 43%B	12 23%	46 57%ACE FK	60 37%	37 35%	18 54%	61 37%	52 27%	46 28%	6 20%	66 31%	30 29%	51 30%	44 28%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 42

MARITAL: Marital Status

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/ rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti cipatd vio-lent	Unanti cipatd /vio-lent	Life changd for worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Married	507 47% QRS T	225 49%	165 45%	7 20%	159 48% C	60 66% ACE K	60 45%	23 43%	37 46%	68 41%	42 40%	13 38%	80 49%	82 42%	74 45%	8 28%	68 32%	23 22%	57 34%	57 36%
Not Married (NET)	577 53% F	230 51%	199 55% EF	25 80%	174 52% F	31 34%	75 55%	31 57%	44 54%	97 59%	64 60% F	21 62%	85 51%	112 58%	91 55%	21 72%	148 68% A	80 78% A	113 66% A	99 64% A
Widowed	54 5%	41 9% AG	39 11% AEI	9 28%	30 9% AI	2 2%	2 1%	2 3%	* *	5 3%	3 3%	* 1%	24 14% A	15 8%	12 7%	3 10%	9 4%	7 6%	8 5%	17 11% A
Divorced	125 12%	53 12%	49 13%	4 11%	45 13%	4 5%	13 10%	8 15%	5 6%	23 14%	14 13%	6 18%	24 14%	25 13%	20 12%	5 17%	30 14%	10 9%	26 15%	23 15%
Separated	17 2%	5 1%	5 1%	-	5 2%	-	1 1%	1 2%	-	3 2%	2 2%	* 1%	4 2%	1 1%	1 1%	1 2%	5 2%	3 3%	2 1%	3 2%
Never married	293 27% BCE M	99 22%	81 22%	10 33%	70 21%	18 20%	50 37% AB	17 31%	34 41% ACE F	43 26%	27 26%	11 33%	27 16%	52 27%	44 27%	8 28%	73 34%	49 48% AS	50 29%	45 29%
Living with partner	88 8%	32 7%	26 7%	2 8%	23 7%	6 7%	9 7%	3 6%	6 7%	22 14% A	18 17% ACE	3 9%	6 4%	19 10%	14 9%	4 14%	31 15% A	11 11%	28 17% A	12 8%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 43

EMPLOY: Current Employment Status

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home)	Friend ship/ rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust/with-drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Employed (NET)	616 57%C	249 55%	189 52%	16 51%	173 52%	60 67%	70 52%	19 36%	51 63%	122 74%ABG	82 77%ACE	23 70%	89 54%	96 49%	84 51%	12 40%	133 62%	55 53%	115 67%A	80 51%
Working - as a paid employee	517 48%CEN	201 44%	151 41%	14 45%	136 41%	51 56%	53 39%	17 31%	37 45%	111 68%ABG	76 71%ACE	22 66%	74 45%	73 38%	65 39%	8 28%	105 49%	45 44%	90 52%	63 41%
Working - self-employed	99 9%	48 11%	38 10%	2 6%	36 11%	10 11%	17 13%	3 5%	14 17%	11 7%	6 6%	1 4%	15 9%	23 12%	19 12%	4 12%	28 13%	10 9%	25 15%	16 11%
Not Employed (NET)	468 43%JKS	206 45%J	176 48%AK	16 49%	160 48%K	30 33%	65 48%J	34 64%	31 37%	43 26%	24 23%	10 30%	76 46%	99 51%	81 49%	18 60%	83 38%	48 47%	56 33%	76 49%
Not working - on temporary layoff from a job	10 1%	5 1%	5 1%	-	5 2%	-	4 3%	4 7%	-	1 *	1 1%	-	-	5 3%A	4 3%	1 3%	5 3%	4 4%A	1 1%	* *
Not working - looking for work	72 7%M	28 6%	22 6%	4 11%	19 6%	6 6%	12 9%	4 7%	8 10%	14 8%	4 3%	6 17%	2 1%	20 10%M	12 7%	8 28%	29 14%A	17 17%A	21 12%A	14 9%
Not working - retired	227 21%JKQ RS	109 24%J	99 27%AFK	10 31%	89 27%AFK	11 12%	22 16%	11 20%	11 14%	12 7%	8 7%	2 7%	56 34%AN	43 22%	38 23%	4 15%	16 8%	9 9%	11 6%	28 18%
Not working - disabled	75 7%	33 7%	28 8%	2 7%	26 8%	5 6%	14 11%	13 25%	1 1%	10 6%	8 7%	1 3%	10 6%	18 9%	14 8%	4 14%	24 11%	14 14%	15 9%	25 16%A
Not working - other	85 8%	30 7%	21 6%	-	21 6%	8 9%	13 10%	3 6%	10 13%	6 4%	5 4%	1 3%	8 5%	12 6%	12 7%	* *	8 4%	3 3%	8 5%	9 6%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 44

INCOME: Household Income

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrc, rela- tion- ship/ home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
<\$30K (NET)	281 26%	120 26%	100 28%E	17 53%	84 25%	20 22%	42 31%	19 36%	22 27%	32 20%	16 16%	4 13%	34 21%	65 33%AM	57 34%A	8 27%	68 31%	45 43%AS	48 28%	47 30%
Less than \$5,000 (3)	25 2%E	9 2%	7 2%E	4 14%	3 1%	2 3%	4 3%	4 7%	* *	4 2%	1 1%	- -	2 1%	5 2%	3 2%	2 7%	3 1%	2 2%	3 2%	6 4%
\$5,000 to \$9,999 (7.5)	57 5%	20 4%	18 5%	- -	18 5%	2 3%	6 5%	1 1%	6 7%	10 6%	5 4%	1 4%	4 2%	13 7%	12 7%	1 4%	21 10%A	13 13%A	13 8%	5 3%
\$10,000 to \$14,999 (12.5)	52 5%	20 4%	17 5%	4 12%	14 4%	3 3%	11 8%	6 12%	4 5%	5 3%	3 3%	2 5%	6 4%	11 6%	9 6%	2 7%	12 6%	12 11%AS	5 3%	9 6%
\$15,000 to \$19,999 (17.5)	40 4%	23 5%	18 5%	2 6%	16 5%	5 6%	3 2%	1 2%	2 2%	6 4%	1 1%	1 4%	4 2%	15 7%A	15 9%A	- -	13 6%	8 8%	11 6%	7 5%
\$20,000 to \$24,999 (22.5)	68 6%	26 6%	24 7%	4 13%	20 6%	2 2%	9 7%	5 10%	3 4%	5 3%	5 5%	* 1%	10 6%	14 7%	13 8%	1 4%	9 4%	6 6%	8 5%	13 8%
\$25,000 to \$29,999 (27.5)	39 4%	21 5%	16 4%	3 8%	14 4%	4 5%	8 6%	2 4%	7 8%	2 1%	2 2%	- -	9 6%	7 4%	5 3%	2 6%	10 5%	3 3%	7 4%	7 4%
\$30K-<\$60K (NET)	286 26%	119 26%	98 27%	10 32%	88 26%	20 22%	26 19%	11 20%	15 18%	51 31%	34 32%	13 39%	40 24%	57 29%	51 31%	6 21%	66 31%	29 28%	54 31%	46 29%
\$30,000 to \$34,999 (32.5)	67 6%	30 7%	20 5%	4 14%	15 5%	11 12%	7 5%	1 2%	6 7%	10 6%	9 8%	* 1%	8 5%	12 6%	10 6%	2 7%	19 9%	11 11%	18 11%	10 6%
\$35,000 to \$39,999 (37.5)	46 4%B	10 2%	10 3%	- -	10 3%	- -	7 5%	3 6%	4 5%	11 7%B	9 8%	2 7%	3 2%	7 4%	7 4%	* *	6 3%	2 2%	4 2%	7 4%
\$40,000 to \$49,999 (45)	76 7%	31 7%	29 8%	5 16%	24 7%	2 2%	7 5%	3 6%	3 4%	11 6%	8 7%	1 3%	11 7%	17 9%	16 10%	2 6%	15 7%	6 6%	12 7%	18 11%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 44

INCOME: Household Income

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd /vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
\$50,000 to \$59,999 (55)	97	47	39	1	38	8	5	3	2	20	8	9	18	21	18	2	26	11	19	11
\$60K-<\$100K (NET)	285	129	102	4	98	28	24	14	10	51	36	8	52	47	33	14	51	19	44	31
\$60,000 to \$74,999 (67.5)	108	49	32	2	30	17	20	12	8	16	9	1	19	12	6	6	20	10	15	19
\$75,000 to \$84,999 (80)	83	36	34	1	33	1	2	1	1	23	20	3	18	14	11	3	22	6	21	5
\$85,000 to \$99,999 (92.5)	94	45	36	1	35	9	2	1	1	13	7	4	15	21	16	4	10	3	8	7
\$100K+ (NET)	232	87	64	1	63	23	44	10	34	30	20	7	39	25	24	2	31	10	25	32
\$100,000 to \$124,999 (112.5)	96	34	26	-	26	8	24	5	19	12	9	3	15	12	10	2	13	3	11	16
\$125,000 to \$149,999 (137.5)	63	21	15	-	15	5	9	4	5	11	8	3	8	8	8	-	14	5	11	7
\$150,000 to \$174,999 (162.5)	23	8	7	-	7	1	7	-	7	2	2	*	7	-	-	-	2	-	2	3
\$175,000 to \$199,999 (187.5)	13	6	5	-	5	1	1	-	1	*	-	-	2	3	3	-	1	1	1	2
\$200,000 or more (225)	37	19	10	1	9	8	3	1	2	4	1	1	7	3	3	-	1	*	1	3

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 44

INCOME: Household Income

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing		Lack of trust/ with- drawal
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN (000's) OQR	67.97N	67.89	65.38	39.09	67.90C	77.99	69.18	57.38	76.94	66.60	67.46	73.31	75.58N	57.02	57.24	55.78	55.76	45.46	58.07R	61.47
STD. DEV.	51.08	51.63	48.85	45.40	48.49	60.83	52.80	46.39	55.52	45.03	40.87	44.49	52.00	44.73	46.66	32.48	40.84	39.30	40.92	48.16
STD. ERROR	2.10	3.13	3.17	9.35	3.31	9.55	6.27	8.73	8.51	4.65	5.45	9.05	4.85	4.06	4.59	7.66	4.05	5.72	4.60	5.01
MEDIAN (000's)	57.44	57.61	55.75	28.42	58.56	64.70	60.36	50.74	66.17	59.46	64.31	59.05	66.29	47.53	45.40	61.29	50.23	33.05	51.81	48.12

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 45

State

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrc, rela- tion- home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- viol- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Alaska	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alabama	17 2%BE	2 *	2 1%E	2 5%	1 *	-	-	-	-	3 2%	1 1%	1 2%	1 *	2 1%	2 1%	-	2 1%	1 1%	2 1%	1 *
Arkansas	4 *	2 1%	1 *	-	1 *	2 2%	-	-	-	1 *	1 1%	-	1 *	-	-	-	-	-	-	1 *
Arizona	15 1%	3 1%	3 1%	* 1%	3 1%	-	5 3%	5 9%	-	* *	-	* 1%	1 1%	2 1%	2 1%	-	3 1%	-	3 2%	3 2%
California	129 12%BE	38 8%	32 9%	4 13%	28 8%	6 6%	14 10%	5 10%	8 10%	31 19%AB	22 21%ACE	4 12%	14 8%	17 9%	12 7%	5 18%	32 15%	11 10%	28 16%	13 9%
Colorado	26 2%	7 1%	6 2%	* 1%	6 2%	* *	9 7%AB	6 11%	3 4%	5 3%	2 2%	2 6%	3 2%	3 2%	3 2%	-	4 2%	1 1%	3 2%	5 3%
Connecticut	12 1%	5 1%	1 *	-	1 *	4 5%ACE	3 2%	-	3 3%C	4 2%	2 1%	2 7%	1 *	* *	* *	-	2 1%	2 2%	2 1%	3 2%
District of Columbia	*	-	-	-	-	-	-	-	-	* *	* *	-	-	-	-	-	-	-	-	-
Delaware	4 *	1 *	1 *	-	1 *	-	-	-	-	1 1%	1 1%	-	1 *	-	-	-	-	-	-	1 1%
Florida	100 9%	48 11%	34 9%	2 7%	31 9%	15 16%	15 11%	10 18%	5 6%	14 8%	5 5%	6 17%	15 9%	16 8%	16 9%	* 2%	36 17%A	25 24%A	29 17%A	14 9%
Georgia	38 3%	21 5%	17 5%	2 8%	15 4%	4 4%	5 4%	1 2%	4 5%	2 2%	* *	1 2%	8 5%	10 5%	10 6%	-	3 2%	1 1%	3 2%	8 5%
Hawaii	2 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	10 1%	2 *	1 *	1 2%	* *	1 1%	4 3%	3 6%	* *	* *	* *	-	1 1%	* *	-	* 1%	1 *	1 1%	1 *	1 *

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 45

State

State	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/ Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)	
																				(A)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Idaho	13 1%	3 1%	2 1%	-	2 1%	1 1%	3 2%	-	3 3%	-	-	-	-	2 1%	2 1%	-	2 1%	-	2 1%	1 1%
Illinois	32 3%	12 3%	9 2%	-	9 3%	3 3%	4 3%	4 7%	* *	13 8%AB	8 8%A	2 6%	5 3%	4 2%	4 2%	* 1%	9 4%	1 1%	8 5%	4 2%
Indiana	22 2%	11 2%	10 3%	1 2%	9 3%	1 1%	2 2%	2 3%	1 1%	2 1%	2 2%	-	5 3%	5 2%	1 1%	3 11%	7 3%	6 5%	2 1%	7 4%
Kansas	7 1%	3 1%	3 1%	-	3 1%	-	* *	-	* *	1 1%	1 1%	-	* *	3 1%	1 1%	2 5%	2 1%	* *	1 1%	2 1%
Kentucky	10 1%	6 1%	6 2%	-	6 2%	-	1 1%	-	1 1%	1 1%	1 1%	-	2 1%	5 2%	5 3%	-	1 *	1 1%	-	2 1%
Louisiana	21 2%	13 3%	12 3%	1 2%	12 4%	* *	2 1%	1 1%	1 1%	1 1%	* *	-	5 3%	7 4%	4 3%	3 10%	6 3%	3 3%	5 3%	2 1%
Massachusetts	24 2%	14 3%	9 3%	1 3%	9 3%	5 6%	6 5%	1 1%	6 7%A	2 2%	2 2%	-	6 3%	4 2%	3 2%	* 1%	8 4%	6 6%	3 2%	-
Maryland	13 1%	3 1%	3 1%	-	3 1%	* *	3 2%	-	3 3%	1 1%	1 1%	-	1 1%	2 1%	* *	2 6%	3 1%	3 3%	1 1%	3 2%
Maine	5 *	-	-	-	-	-	2 2%	1 1%	1 2%	-	-	-	-	-	-	-	-	-	-	-
Michigan	36 3%	13 3%	10 3%E	4 13%	6 2%	3 3%	1 1%	-	1 1%	5 3%	3 3%	2 5%	3 2%	7 4%	7 4%	-	5 3%	4 4%	4 2%	5 3%
Minnesota	12 1%	8 2%	6 2%	-	6 2%	2 2%	1 1%	-	1 1%	2 1%	1 1%	1 2%	5 3%A	1 *	1 *	-	1 1%	-	1 1%	1 1%
Missouri	19 2%	7 1%	6 2%	* 1%	6 2%	1 1%	6 4%	2 4%	4 4%	5 3%	4 4%	1 3%	5 3%	1 1%	1 1%	-	3 1%	1 1%	3 2%	4 3%
Mississippi	1 *	* *	* *	-	* *	-	* *	* 1%	-	-	-	-	-	* *	* *	-	-	-	-	* *
North Carolina	27 2%	12 3%	11 3%	2 5%	9 3%	1 1%	4 3%	1 1%	4 4%	5 3%	4 3%	1 2%	4 2%	7 4%	6 3%	1 5%	6 3%	3 3%	5 3%	5 3%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 45

State

State	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrc, home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds mean-ing	Lack of trust-with-drawal	COMPLI-CATED GRIEF (1+yrs)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Nebraska	13 1%	3 1%	3 1%	-	3 1%	-	1 1%	1 1%	1 1%	1 1%	1 1%	-	1 *	3 1%	2 1%	* 1%	2 1%	1 1%	1 1%	1 1%
New Hampshire	6 1%	2 *	2 *	-	2 1%	-	-	-	-	-	-	-	-	2 1%	2 1%	-	-	-	-	-
New Jersey	29 3%	19 4%	17 5%A	-	17 5%A	2 2%	1 1%	2 2%	-	5 3%	* *	2 5%	9 5%	8 4%	8 5%	-	1 1%	-	1 1%	6 4%
New Mexico	13 1%	7 2%	5 1%	-	5 2%	2 2%	1 *	* *	1 1%	4 3%	4 4%	-	3 2%	3 1%	3 2%	-	4 2%	1 1%	4 2%	1 *
Nevada	3 *	3 1%	3 1%	1 2%	2 1%	-	-	-	-	1 *	1 1%	-	1 1%	2 1%	1 1%	* 1%	1 *	-	1 *	-
New York	60 6%	25 5%	23 6%	1 4%	22 7%	2 2%	2 1%	* 1%	1 1%	4 3%	4 4%	-	8 5%	15 8%	15 9%	-	8 4%	4 4%	7 4%	7 4%
Ohio	33 3%	14 3%	11 3%	-	11 3%	3 4%	2 2%	1 1%	2 2%	5 3%	4 4%	1 2%	2 1%	9 5%	9 6%	-	5 2%	1 1%	4 2%	4 2%
Oklahoma	23 2%B	4 1%	3 1%	-	3 1%	1 1%	1 *	-	1 1%	2 1%	2 2%	-	1 1%	2 1%	1 *	1 5%	1 *	1 *	1 *	2 1%
Oregon	18 2%	7 2%	5 1%	2 6%	4 1%	2 2%	1 1%	-	1 1%	7 4%	2 2%	4 12%	3 2%	2 1%	2 1%	-	4 2%	1 1%	4 2%	8 5%A
Pennsylvania	50 5%	17 4%	13 4%	1 4%	12 4%	4 5%	6 4%	2 3%	4 5%	8 5%	7 7%	1 4%	7 4%	6 3%	5 3%	1 4%	8 4%	3 3%	5 3%	5 4%
Rhode Island	2 *	1 *	1 *	-	1 *	-	-	-	-	* *	* *	-	-	1 *	1 1%	-	* *	-	* *	1 1%
South Carolina	8 1%	4 1%	4 1%	1 2%	3 1%	1 1%	1 *	1 1%	-	2 1%	2 1%	-	3 2%	1 *	1 *	-	-	-	-	-
South Dakota	9 1%	4 1%	4 1%	-	4 1%	-	4 3%	-	4 4%A	* *	* *	-	4 2%	-	-	-	* *	* *	* *	-
Tennessee	35 3%	20 4%	17 5%	* 1%	17 5%	3 3%	5 3%	4 7%	1 1%	4 3%	4 4%	-	8 5%	9 5%	8 5%	1 2%	14 6%	8 8%	12 7%A	11 7%A

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 45

State

State	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Texas	80 7%	50 11%A	33 9%	4 11%	29 9%	17 18%A	7 5%	* *	7 8%	13 8%	6 6%	1 3%	11 7%	21 11%	19 11%	3 9%	16 7%	3 3%	16 9%	15 10%
Utah	6 1%	2 1%	2 1%	- -	2 1%	* *	2 1%	- -	2 2%	- -	- -	- -	* *	2 1%	- -	2 6%	- -	- -	- -	- -
Virginia	22 2%	9 2%	8 2%	2 7%	5 2%	1 2%	3 2%	2 3%	1 2%	1 1%	1 1%	1 2%	5 3%	2 1%	2 1%	- -	5 2%	1 1%	4 2%	4 3%
Vermont	3 *	1 *	1 *	- -	1 *	- -	1 1%	1 1%	1 1%	- -	- -	- -	1 1%	- -	- -	- -	1 1%	- -	1 1%	- -
Washington	27 3%	11 2%	8 2%	- -	8 3%	2 2%	6 5%	1 2%	5 6%	8 5%	6 5%	1 4%	7 4%	2 1%	1 1%	* 1%	6 3%	5 5%	2 1%	4 3%
Wisconsin	32 3%	10 2%	7 2%	- -	7 2%	2 2%	3 2%	- -	3 4%	1 1%	- -	1 3%	4 3%	3 1%	3 2%	- -	1 1%	1 1%	* *	1 *
West Virginia	6 1%	4 1%	4 1%	- -	4 1%	- -	* *	* 1%	- -	- -	- -	- -	2 1%	3 1%	2 1%	1 4%	2 1%	2 2%	- -	- -
Wyoming	3 *	2 *	2 1%	- -	2 1%	- -	1 1%	- -	1 1%	- -	- -	- -	- -	2 1%	- -	2 7%	- -	- -	- -	- -
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 46

REGION4: 4-level region

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Northeast	191 18%	85 19%	67 18%	3 11%	64 19%	18 20%	21 15%	5 10%	16 19%	24 15%	16 15%	5 15%	31 19%	36 18%	34 21%	2 6%	29 14%	15 14%	20 12%	22 14%
Midwest	226 21%	86 19%	71 19%	6 18%	65 20%	15 16%	28 21%	13 23%	16 19%	34 21%	24 23%	7 21%	35 21%	36 18%	30 18%	6 20%	37 17%	16 15%	26 15%	29 19%
South	411 38%	201 44%A	156 43%AK	16 49%	141 42%K	44 49%K	46 34%	19 35%	27 33%	51 31%	29 27%	10 29%	67 40%	86 44%	74 45%	12 42%	94 43%	53 52%A	78 46%	69 44%
West	257 24%B	84 18%	70 19%	7 23%	63 19%	14 15%	40 30%B	17 32%	23 28%	55 34%AB	37 35%ACE	12 35%	32 20%	36 19%	27 16%	10 33%	56 26%	19 18%	47 27%	35 23%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 47

REGION9: 9-level region

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
New England	51 5%	24 5%	14 4%	1 3%	14 4%	10 11%	12 9%	2 4%	10 12%ACE	7 4%	4 4%	2 7%	8 5%	7 3%	6 4%	* 1%	12 6%	8 8%	7 4%	4 3%
Mid-Atlantic	139 13%	61 13%	53 14%	3 8%	50 15%	8 9%	8 6%	3 6%	5 7%	17 11%	12 11%	3 9%	23 14%	29 15%	28 17%	1 4%	17 8%	7 7%	13 8%	18 12%
East North Central	156 14%	59 13%	48 13%	5 15%	43 13%	12 13%	13 10%	6 12%	7 8%	25 15%	17 16%	5 16%	19 12%	28 14%	25 15%	4 12%	27 13%	13 12%	19 11%	20 13%
West North Central	70 6%	26 6%	23 6%	1 3%	22 7%	3 3%	15 11%	6 12%	9 11%	9 6%	8 7%	2 5%	15 9%	8 4%	6 3%	2 8%	9 4%	3 3%	8 4%	9 6%
South Atlantic	219 20%	103 23%	81 22%	9 29%	72 22%	22 25%	31 23%	14 26%	17 20%	27 16%	13 13%	8 24%	38 23%	40 21%	35 21%	5 16%	55 25%	36 35%A	42 25%	35 23%
East South Central	63 6%	29 6%	26 7%	2 7%	24 7%	3 3%	6 4%	4 7%	2 3%	8 5%	7 6%	1 2%	11 6%	16 8%	15 9%	1 2%	16 7%	10 10%	14 8%	13 9%
West South Central	129 12%	69 15%A	49 14%	4 13%	45 14%	19 21%	9 7%	1 1%	8 10%	16 10%	9 8%	1 3%	18 11%	31 16%	24 14%	7 24%	23 11%	7 7%	22 13%	20 13%
Mountain	80 7%	28 6%	24 7%	1 4%	23 7%	4 4%	20 15%AB	11 20%	9 11%	10 6%	7 6%	3 8%	8 5%	15 8%	11 7%	4 14%	14 6%	2 2%	13 8%	10 6%
Pacific	177 16%BCE O	56 12%	46 13%	6 19%	40 12%	10 11%	21 15%	6 12%	14 18%	45 27%AB	30 28%ACE F	9 28%	24 14%	21 11%	15 9%	6 20%	42 20%	17 16%	34 20%	25 16%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 48

METRO: Metropolitan area flag

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family member ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd worse (NET)	Life holds mean- ing		Lack of trust/ with- drawal
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Metro Area	967	397	320	28	292	77	125	51	75	151	97	29	147	169	147	22	192	90	152	137
	89%	87%	88%	89%	88%	85%	93%	95%	91%	92%	92%	87%	89%	87%	89%	75%	89%	88%	89%	88%
Non-Metro Area	117	58	44	4	41	13	10	3	7	14	9	4	18	26	18	7	24	12	19	19
	11%	13%	12%	11%	12%	15%	7%	5%	9%	8%	8%	13%	11%	13%	11%	25%	11%	12%	11%	12%
SIGMA	1084	455	364	32	333	90	135	54	82	165	106	33	165	195	165	30	216	102	171	156
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 49

INTERNET: HH internet access via dial-up, DSL, or cable broadband at home

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Internet Household	921 85%	383 84%	302 83%	24 74%	279 84%	81 89%	119 88%	45 85%	73 90%	145 88%	96 91%	28 85%	142 86%	158 81%	132 80%	27 90%	184 85%	85 83%	148 87%	123 79%
Non-internet household	163 15%	72 16%	62 17%	8 26%	54 16%	10 11%	17 12%	8 15%	8 10%	20 12%	10 9%	5 15%	23 14%	37 19%	34 20%	3 10%	31 15%	17 17%	23 13%	33 21%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 50

HOUSING: Home Ownership

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Owned or being bought by you or someone in your household	730 67%	324 71%	253 69%	21 66%	232 70%	71 79%I	87 64%	41 76%	46 56%	102 62%	69 65%	20 60%	123 74%	127 65%	107 65%	20 69%	130 60%	63 62%	105 61%	91 59%
Rented for cash	321 30%F	118 26%	104 29%	9 30%	95 29%	13 15%	44 33%	11 21%	33 41%F	57 34%	33 31%	13 38%	39 24%	64 33%	55 33%	9 31%	80 37%	38 37%	60 35%	61 39%A
Occupied without payment of cash rent	33 3%	13 3%	7 2%	1 5%	6 2%	6 7%	4 3%	2 3%	2 3%	6 4%	5 4%	1 2%	3 2%	4 2%	4 2%	- -	5 2%	1 1%	5 3%	3 2%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 51

HOME\_TYPE: Type of building of panelists' residence

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home)	Friend ship/rela-tion-ship	Job/career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
A one-family house detached from any other house	737 68%	328 72%A	248 68%	23 72%	225 68%	80 89%ACE IK	89 65%	35 66%	53 65%	109 66%	69 65%	25 74%	119 72%	125 64%	102 62%	23 79%	147 68%	66 64%	123 72%	94 60%
A one-family house attached to one or more houses	85 8%	40 9%	38 11%A	4 12%	35 10%	2 2%	14 10%	6 11%	8 10%	14 9%	11 11%	* 1%	15 9%	23 12%	22 13%A	2 7%	26 12%	11 11%	22 13%	17 11%
A building with 2 or more apartments	219 20%BF	70 15%	66 18%F	4 12%	62 19%F	4 4%	27 20%	6 11%	20 25%F	39 24%	24 22%F	8 25%	29 17%	36 18%	32 19%	4 14%	37 17%	20 20%	25 14%	34 22%
A mobile home or trailer	40 4%	17 4%	12 3%	1 4%	11 3%	5 5%	6 5%	6 12%	- -	3 2%	2 2%	- -	3 2%	10 5%	10 6%	- -	6 3%	5 5%	2 1%	10 7%
Boat, RV, van, etc	3 *	* *	* *	- -	* *	- -	- -	- -	- -	- -	- -	- -	* *	- -	- -	- -	- -	- -	- -	- -
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 52

PHONESERVICE: Telephone service for the household

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, home) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Landline telephone only	56 5%	18 4%	18 5%	1 3%	17 5%	* *	12 9%	10 18%	2 3%	5 3%	3 3%	1 4%	4 3%	13 7%	13 8%	- -	11 5%	3 3%	9 5%	12 7%
Have a landline, but mostly use cellphone	295 27%	135 30%	109 30%	13 42%	96 29%	26 28%	38 28%	14 26%	24 29%	39 24%	22 21%	11 33%	53 32%	52 27%	50 31%	2 7%	51 24%	22 22%	41 24%	45 29%
Have cellphone, but mostly use landline	142 13%	64 14%	50 14%	3 10%	47 14%	14 16%	9 7%	4 7%	5 7%	16 10%	13 12%	1 2%	28 17%	22 11%	22 13%	- -	23 11%	16 15%	17 10%	16 10%
Cellphone only	570 53%	228 50%	183 50%	14 45%	168 51%	45 50%	75 56%	25 47%	50 61%	104 63%AB	68 64%	21 62%	80 48%	102 53%	80 48%	23 76%	126 58%	59 58%	101 59%	82 53%
No telephone service	21 2%	10 2%	5 1%	- -	5 2%	5 6%	1 1%	1 2%	- -	1 1%	- -	- -	- -	5 3%	- -	5 17%	5 2%	2 2%	3 2%	1 1%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 53

Household size (including children)

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/ rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
1	197 18%	101 22%A	82 23%A	11 35%	71 21%	19 21%	26 20%	14 26%	13 16%	26 16%	17 16%	7 20%	46 28%A	35 18%	30 18%	5 16%	35 16%	27 26%S	23 13%	38 25%
2	317 29%R	131 29%	104 28%	6 19%	98 29%	27 30%	29 22%	15 29%	14 17%	55 33%	42 40%I	7 22%	52 32%	51 26%	39 24%	12 41%	53 24%	17 17%	42 25%	48 31%
3	167 15%	70 15%	59 16%	4 14%	55 17%	11 12%	25 18%	7 13%	18 22%	24 15%	11 10%	5 15%	19 11%	37 19%	31 19%	7 22%	32 15%	11 10%	27 16%	25 16%
4	108 10%	37 8%	32 9%	2 5%	30 9%	5 6%	15 11%	3 6%	12 15%	17 10%	11 10%	2 5%	12 7%	20 10%	19 11%	1 3%	19 9%	9 9%	18 10%	11 7%
5	92 9%	47 10%	38 10%	4 12%	34 10%	9 10%	6 4%	2 3%	4 5%	10 6%	6 6%	4 11%	23 14%A	14 7%	13 8%	1 3%	10 5%	2 2%	10 6%	13 8%
6	202 19%BCE M	69 15%	50 14%	4 14%	45 14%	19 21%	34 25%B	13 24%	22 26%CE	34 20%	19 18%	9 27%	13 8%	37 19%M	32 20%	5 15%	67 31%A	37 36%A	51 30%A	21 14%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	3.17BC EM	3.01	2.97	2.82	2.98	3.20	3.35	3.04	3.55CE	3.20	3.03	3.46	2.72	3.19M	3.26	2.82	3.54A	3.52	3.61A	2.85
STD. DEV.	1.76	1.74	1.71	1.87	1.70	1.88	1.86	1.93	1.80	1.77	1.74	1.96	1.65	1.75	1.77	1.62	1.92	2.10	1.86	1.71
STD. ERROR	0.07	0.11	0.11	0.38	0.12	0.29	0.22	0.36	0.28	0.18	0.23	0.40	0.15	0.16	0.17	0.38	0.19	0.30	0.21	0.18
MEDIAN	3.17	2.97	2.96	2.76	2.98	2.99	3.49	2.85	3.81	3.09	2.84	3.52	2.70	3.29	3.42	2.84	3.63	3.68	3.75	2.83

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 54

Number of HH members age 0-1

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)	
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing		Lack of trust/ with- drawal
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
None	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 55

Number of HH members age 2-5

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti cipatd vio- lent	Unanti cipatd /vio- lent	Life changd worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
None	988 91%	415 91%	333 91%	27 84%	306 92%	82 91%	124 91%	48 90%	75 92%	151 92%	99 93%	30 91%	157 95%N	171 88%	142 86%	29 98%	192 89%	92 90%	148 87%	136 88%
1	49 4%	20 4%	16 4%E	4 13%	12 4%	4 4%	4 3%	1 1%	4 5%	9 5%	5 5%	2 5%	5 3%	11 6%	11 7%	1 2%	14 6%	2 2%	13 8%	13 9%
2	38 4%	16 4%	14 4%	1 3%	13 4%	3 3%	6 4%	5 8%	1 1%	4 3%	2 2%	1 4%	2 1%	11 6%	11 7%	- -	11 5%	8 7%	9 6%	5 3%
3	8 1%	2 1%	1 *	- -	1 *	2 2%	2 1%	- -	2 2%	- -	- -	- -	* *	1 *	1 *	- -	- -	- -	- -	2 1%
4	1 *	1 *	1 *	- -	1 *	- -	- -	- -	- -	- -	- -	- -	1 1%	- -	- -	- -	- -	- -	- -	- -
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	0.14	0.14	0.14	0.19	0.13	0.15	0.15	0.18	0.13	0.11	0.09	0.12	0.08	0.19	0.22	0.02	0.16	0.17	0.19	0.17
STD. DEV.	0.50	0.50	0.49	0.46	0.49	0.55	0.53	0.57	0.51	0.38	0.36	0.43	0.41	0.54	0.58	0.13	0.48	0.54	0.51	0.51
STD. ERROR	0.02	0.03	0.03	0.10	0.03	0.09	0.06	0.11	0.08	0.04	0.05	0.09	0.04	0.05	0.06	0.03	0.05	0.08	0.06	0.05
MEDIAN	0.55	0.55	0.55	0.60	0.54	0.55	0.55	0.55	0.54	0.54	0.54	0.55	0.52	0.57	0.58	0.51	0.56	0.55	0.58	0.57

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 56

Number of HH members age 6-12

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI- CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partnr	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, ship/ dvrce, rela- tion- ship) (NET)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
None	925 85%Q	407 89%AGJ	330 90%AI	30 93%	300 90%AI	77 85%	109 80%	47 88%	61 75%	134 82%	91 86%	30 91%	154 93%A	171 88%	144 88%	27 90%	168 78%	78 76%	135 79%	139 89%
1	70 6%	30 6%	17 5%	1 2%	17 5%	12 14%CE	12 9%	4 7%	9 11%	13 8%	4 3%	* 1%	5 3%	13 7%	12 7%	1 3%	27 12%A	14 14%A	21 12%A	6 4%
2	47 4%B	11 2%	11 3%	- -	11 3%	* 1%	4 3%	3 5%	2 2%	11 7%	6 6%	1 3%	4 2%	7 4%	7 4%	1 2%	8 4%	2 2%	7 4%	6 4%
3	13 1%B	1 *	1 *	- -	1 *	- -	5 4%B	- -	5 6%ACE	4 2%	4 4%CE	- -	1 *	1 *	1 *	- -	7 3%	5 5%A	2 1%	1 1%
4	25 2%	5 1%	5 1%	2 5%	3 1%	1 1%	4 3%	- -	4 4%	3 2%	1 1%	1 4%	2 1%	2 1%	1 *	2 5%	5 2%	3 3%	5 3%	3 2%
5	2 *	* *	* *	- -	* *	- -	1 1%	- -	1 1%	- -	- -	- -	* *	- -	- -	- -	1 1%	- -	1 1%	- -
6	3 *	1 *	1 *	- -	1 *	- -	- -	- -	- -	- -	- -	- -	- -	1 *	1 *	- -	- -	- -	- -	1 *
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	0.30BC EM	0.18	0.18	0.21	0.18	0.17	0.42B	0.16	0.59AC EF	0.35B	0.31	0.25	0.14	0.22	0.21	0.28	0.42	0.44	0.39	0.23
STD. DEV.	0.87	0.64	0.67	0.89	0.65	0.48	1.02	0.49	1.23	0.84	0.84	0.89	0.61	0.73	0.68	0.95	0.96	0.97	0.95	0.81
STD. ERROR	0.04	0.04	0.04	0.18	0.04	0.07	0.12	0.09	0.19	0.09	0.11	0.18	0.06	0.07	0.07	0.22	0.10	0.14	0.11	0.08
MEDIAN	0.59	0.56	0.55	0.54	0.55	0.59	0.62	0.57	0.67	0.61	0.58	0.55	0.54	0.57	0.57	0.55	0.64	0.65	0.63	0.56

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 57

Number of HH members age 13-17

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, rela-tion-ship/home) (NET)	Friend ship/rela-tion-ship	Job/ career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd /non-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd for worse (NET)	Life holds mean-ing	Lack of trust-with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
None	940 87%GQ	402 88%G	330 91%AFI	30 93%	301 90%AFI	71 79%	106 79%	42 79%	64 78%	143 87%	95 89%	30 89%	154 93%A	172 88%	146 88%	26 88%	173 80%	80 78%	138 81%	142 91%
1	63 6%	26 6%	18 5%	2 7%	16 5%	8 9%	7 5%	2 4%	5 6%	10 6%	5 5%	3 10%	4 3%	13 7%	11 7%	2 8%	20 9%	10 10%	19 11%A	8 5%
2	42 4%C	12 3%	7 2%	- -	7 2%	5 6%	11 8%B	6 12%	4 5%	6 4%	4 4%	- -	4 2%	3 1%	2 1%	1 2%	10 5%	7 6%	6 4%	5 3%
3	29 3%	10 2%	5 1%	- -	5 2%	5 5%	8 6%	* *	8 10%ACE	5 3%	2 2%	- -	3 2%	2 1%	1 1%	1 2%	8 4%	5 5%	3 2%	* *
4	7 1%	1 *	1 *	- -	1 *	1 1%	3 2%	2 4%	* 1%	* *	- -	* 1%	- -	1 *	1 *	- -	* *	- -	* *	- -
5	4 *	4 1%	4 1%	- -	4 1%A	- -	- -	- -	- -	- -	- -	- -	- -	4 2%A	4 2%A	- -	4 2%A	- -	4 2%A	- -
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	0.26M	0.23	0.19	0.07	0.20	0.39	0.48AB	0.46	0.48AC	0.24	0.18	0.16	0.13	0.24	0.25	0.17	0.40A	0.38	0.36	0.12
STD. DEV.	0.76	0.75	0.71	0.25	0.74	0.87	1.01	1.02	1.01	0.70	0.59	0.56	0.54	0.84	0.88	0.55	0.98	0.82	0.95	0.43
STD. ERROR	0.03	0.05	0.05	0.05	0.05	0.14	0.12	0.19	0.16	0.07	0.08	0.11	0.05	0.08	0.09	0.13	0.10	0.12	0.11	0.04
MEDIAN	0.58	0.57	0.55	0.53	0.55	0.63	0.64	0.63	0.64	0.58	0.56	0.56	0.54	0.57	0.57	0.57	0.63	0.64	0.62	0.55

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 58

Number of HH members age 18+

	DEATH						ILLNESS			OTHER LOSS			ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			COMPLI-CATED GRIEF (1+yrs)
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ cond- ition	Family member ill- ness/ cond- ition	Other loss (job, dvrce, rela- tion- ship/ home)	Friend ship/ rela- tion- ship	Job/ career	Death anti- cipatd	Death unanti- cipatd (NET)	Unanti- cipatd /non- vio- lent	Unanti- cipatd /vio- lent	Life changd for worse (NET)	Life holds no mean- ing	Lack of trust/ with- drawal	
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
1	328 30%	151 33%	127 35%A	11 35%	116 35%	24 27%	42 31%	17 32%	25 30%	54 33%	38 36%	8 23%	66 40%A	58 30%	47 28%	11 37%	68 32%	31 31%	53 31%	54 35%
2	416 38%	164 36%	125 34%	9 27%	116 35%	39 44%	54 40%	26 49%	27 34%	64 39%	42 40%	13 38%	54 33%	69 36%	54 33%	15 52%	68 32%	29 28%	53 31%	65 42%
3	159 15%	64 14%	54 15%	5 15%	49 15%	10 11%	23 17%	5 10%	17 21%	14 8%	9 8%	3 10%	27 16%	27 14%	25 15%	2 6%	23 10%	8 8%	18 10%	18 11%
4	79 7%MT	26 6%	19 5%	3 10%	16 5%	7 8%	10 7%	1 1%	9 11%	13 8%	5 5%	4 11%	4 3%	15 7%	14 9%	* 1%	25 12%	19 18%A	19 11%	4 2%
5	42 4%	25 5%	24 6%A	2 5%	22 7%A	1 1%	3 2%	1 1%	2 3%	7 4%	4 4%	1 4%	10 6%	14 7%	13 8%A	1 2%	16 8%	8 8%	16 9%A	7 5%
6	27 3%CE	6 1%	3 1%	- -	3 1%	3 3%	4 3%	4 7%	- -	1 1%	1 1%	* 1%	2 1%	1 *	1 *	- -	5 2%	1 1%	4 2%	1 1%
7	13 1%	9 2%	5 1%E	2 8%	2 1%	4 4%	1 1%	- -	1 1%	2 1%	1 1%	1 3%	- -	5 2%	4 3%	* 1%	* *	- -	* *	2 2%
8	6 1%	6 1%	6 2%A	- -	6 2%A	- -	* *	- -	* *	- -	- -	- -	2 1%	4 2%A	4 2%A	* 1%	4 2%	* *	4 2%	* *
9	2 *	2 1%	2 1%	- -	2 1%	- -	- -	- -	- -	- -	- -	- -	* *	2 1%	2 1%A	- -	2 1%	2 2%A	- -	- -
10	5 *	* *	* *	- -	* *	- -	- -	- -	- -	4 3%AB	4 4%ACE	1 2%	- -	* *	* *	- -	* *	* *	- -	4 3%A
11	6 1%	1 *	- -	- -	- -	1 2%	- -	- -	- -	5 3%AB	2 2%C	3 8%	- -	- -	- -	- -	4 2%	4 4%A	4 2%	- -
SIGMA	1084 100%	455 100%	364 100%	32 100%	333 100%	90 100%	135 100%	54 100%	82 100%	165 100%	106 100%	33 100%	165 100%	195 100%	165 100%	30 100%	216 100%	102 100%	171 100%	156 100%
MEAN	2.40M	2.38	2.35	2.53	2.33	2.53	2.21	2.11	2.28	2.60	2.50	3.25	2.12	2.57M	2.69	1.92	2.70	2.94A	2.73	2.27
STD. DEV.	1.64	1.66	1.61	1.75	1.60	1.86	1.24	1.29	1.22	2.30	2.26	2.89	1.35	1.79	1.86	1.21	2.06	2.36	2.06	1.77

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing  
May 2019

Number of HH members age 18+

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH			LIFE CHANGED FOR WORSE				
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/ partn	Fam- ily/ close friend	Pet	Ser- ious ill- ness (NET)	Per- sonal ill- ness/ con- dition	Family ill- ness/ con- dition	Other loss (job, dvrce, rela- tion- ship)	Friend Job/ career	Death anti- cipatd	Death unanti cipatd (NET)	Unanti /non- cipatd vio- lent	Unanti /vio- lent	Life changd worse (NET)	Life holds mean- ing	Lack of trust/ with- drawal	COMPLI- CATED GRIEF (1+yrs)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
STD. ERROR	0.07	0.10	0.10	0.36	0.11	0.29	0.15	0.24	0.19	0.24	0.30	0.59	0.13	0.16	0.18	0.29	0.20	0.34	0.23	0.18
MEDIAN	2.51	2.46	2.44	2.54	2.44	2.53	2.48	2.37	2.59	2.44	2.36	2.70	2.31	2.57	2.66	2.26	2.58	2.69	2.60	2.36

Proportions/Mean: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
 Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

Amerispeak Omnibus - May 2019 - Wave 1 - Grief Study  
WEIGHTED DATA - BANNER 2

Table 59

Presence of Children <18 in HH

	DEATH						ILLNESS		OTHER LOSS				ANTICIPATED VS. UNANTICIPATED DEATH				LIFE CHANGED FOR WORSE			
	TOTAL	Death (NET)	Close death (SUB -NET)	Child spous/partnr	Fam-ily/close friend	Pet	Ser-ious ill-ness (NET)	Per-sonal ill-ness/cond-ition	Family member ill-ness/cond-ition	Other loss (job, dvrce, home) (NET)	Friend ship/rela-tion-ship	Job/career	Death anti-cipatd	Death unanti-cipatd (NET)	Unanti-cipatd vio-lent	Unanti-cipatd /vio-lent	Life changd worse (NET)	Life holds no mean-ing	Lack of trust/with-drawal	COMPLI-CATED GRIEF (1+yrs)
Unweighted Base:	1084	482	408	35	373	74	126	52	74	172	109	40	196	209	180	29	203	106	156	154
Base: Total Respondents	1084	455	364	32**	333	90*	135*	54**	82*	165*	106*	33**	165	195	165	30**	216	102*	171*	156*
Under 18	264 24%CEM	95 21%	70 19%	8 24%	62 19%	25 28%	41 31%	15 29%	26 32%	42 26%	21 20%	7 20%	22 13%	48 25%M	44 26%	4 15%	75 35%A	36 35%	60 35%A	31 20%
6 to 17	223 21%BCE M	69 15%	49 13%	3 8%	46 14%	20 22%	39 29%B	15 28%	24 30%CE	37 22%	18 17%	5 16%	18 11%	31 16%	27 16%	4 14%	60 28%	28 27%	46 27%	21 14%
13 to 17	144 13%CEM	53 12%	34 9%	2 7%	32 10%	19 21%CE	29 21%AB	11 21%	18 22%CE	22 13%	11 11%	4 11%	12 7%	22 12%	19 12%	3 12%	43 20%A	22 22%	33 19%	13 9%
6 to 12	159 15%BCE M	48 11%	35 10%	2 7%	33 10%	13 15%	27 20%B	6 12%	20 25%CE	30 18%B	15 14%	3 9%	11 7%	23 12%	21 12%	3 10%	48 22%A	24 24%	35 21%	17 11%
<6	96 9%	39 9%	31 9%	5 16%	26 8%	8 9%	12 9%	5 10%	7 8%	13 8%	7 7%	3 9%	8 5%	24 12%M	23 14%	1 2%	24 11%	10 10%	22 13%	19 12%
None	820 76%QS	360 79%	294 81%A	24 76%	270 81%A	65 72%	94 69%	38 71%	56 68%	123 74%	85 80%	27 80%	143 87%AN	147 75%	121 74%	25 85%	141 65%	66 65%	111 65%	125 80%

Proportions/Means: Columns Tested (5% risk level) - A/B/G/J - A/C/D/E/F/H/I/K/L - A/M/N - A/O/P - A/Q - A/R/S - A/T  
Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing